



T604

TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



COCONUT

COCO BUT
12,5x12,5cm glossy wall



TBOX WALL

White body ceramic tiles, only for
walls, 5”x5”.

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



SEASHELL

SEASHELL

12,5x12,5cm *glossy wall*



TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



SEPIA

SEPIA
12,5x12,5cm *glossy wall*



TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



RAIN

RAIN
12,5x12,5cm glossy wall



TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



CERULEAN

Cerulean
12,5x12,5cm glossy wall



TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

± 8,5mm
glossy



AQUAMARINE

Aquamarine
12,5x12,5cm *glossy wall*



TBOX WALL

White body ceramic tiles, only for
walls, 5"x5".

Piastrelle ceramiche in pasta bianca, solo per
rivestimento, 12,5x12,5cm.

↕ 8,5mm
glossy



EUCALYPTUS

Eucalyptus
12,5x12,5cm *glossy wall*



TBOX SUMMARY | SERIE

12,5x12,5cm 5"x5" - walls only | *solo rivestimento*

± 8,5mm glossy



COCONUT



CERULEAN



SEASHELL



AQUAMARINE



SEPIA







EUCALYPTUS



RAIN

PACKAGING | IMBALLI

	 BOX SCATOLA			 PALLET		
	PCS PZ	SQ.MT. MQ	KG	BOXES SCATOLE	SQ.MT. MQ	KG
 12,5x12,5cm glossy 5"x5"	38	0,587	7,54	102	59,874	785
 1,3x32,1cm glossy 0,5"x13"	33	10,593	3	33	349,569	119

TECHNICAL FEATURES | CARATTERISTICHE TECNICHE





TECHNICAL SPECIFICATIONS FOR WHITE-BODY WALL TILES

CONFORMING TO EN 14411 ISO 13006 STANDARDS APPENDICE L GRUPPO BIII GL CON EB > 10%

CARATTERISTICHE TECNICHE RIVESTIMENTI IN PASTA BIANCA Conformi a Norme EN 14411 ISO 13006 Appendice I Gruppo BIII GL con Eb > 10%

TECHNISCHE EIGENSCHAFTEN FÜR WANDFLIESEN AUS WEISSER MASSE Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix I Gruppe BIII GL mit Eb > 10%

CARACTÉRISTIQUES TECHNIQUES DES REVÊTEMENTS EN PÂTE BLANCHE Conformes aux normes EN 14411 ISO 13006 Annexe I Groupe BIII GL avec Eb > 10%

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTÉRISTIQUES TECHNIQUES	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
	Water absorption Assorbimento d'acqua Wasseraufnahme Absorption d'eau	UNI EN ISO 10545-3	AA>10% group BIII
	Modulus of rupture Resistenza alla flessione Biegezugfestigkeit Résistance à la flexion	UNI EN ISO 10545-4	RM> 150kg/cm ²
	Crazing resistance Determinazione della resistenza al cavillo Glasurhaarrißbeständigkeit Résistance aux tréssailleures	UNI EN ISO 10545-11	Resistant Resistente Widerstandsfähig Résistant
	Chemical resistance Resistenza ai prodotti chimici Chemikalienbeständigkeit Résistance aux produits chimiques	UNI EN ISO 10545-14 UNI EN ISO 10545-13	Comforming Conforme Erfüllt Conforme

valid for Tbox Wall 12,5x12,5cm 5"x5"



V3 HIGH

