



The  
Winchester  
Tile  
Collection



ORIGINALSTYLE

Tiles to Inspire



Papyrus 300mm bricks IM-0012796 (see page 46) with Clover Ogee mouldings IM-0023855 (see page 28)

## Welcome

Made up of several smaller ranges, The Winchester Tile Collection offers wall tiles in a variety of formats and mouldings, all with unique undulating glazes that add depth and character to a space.



rustic bricks in a range of muted colours 'Origin' 8-11



contemporary bricks in natural colours 'Panorama' 12-19



lustre glazed tiles & mouldings 'Metropolitan' 20-32



crackle glazed tiles & mouldings 'Arcadian' 34-43



rich gloss tiles & mouldings 'Cosmopolitan' 44-61



patterns & illustrations on Cosmopolitan base tiles 62-87



elegant designs in heritage colours 'Artisan' 88-99



pretty repeat patterns on Artisan base tiles 100-107



traditional tiles and mouldings 'Classic' 108-119



traditional decorated designs on Classic base tiles 1120-129



important information 130-135

## The art of beautiful tiles

As England's leading producer of hand crafted tiles, we continue to design and produce our tiles in Devon's historic city of Exeter.

Our team of experienced and highly skilled artists, designers and crafts people create tile patterns and glazes that you'll adore for years to come.





## The alchemy of tile making

It all starts with 'bisques', blank canvases of moulded clay. It's what happens next that dictates the end result: firing temperatures and frequency; different glazes and how they react to heat and to each other; hand painting, screen printing and finishing – this is tile making at its finest.



# Origin

– *modern rustic* –

A collection of chunky, rustic brick tiles that feature muted, milky glazes over a dark base. The bisque interacts with the smooth glaze to create beautiful variations in texture and tone.



# Origin

240 x 60 x 12mm (2<sup>3</sup>/<sub>8</sub>" x 9<sup>7</sup>/<sub>16</sub>" x 1/2")

*Change* the look by trying a different tile layout or add contrast with a dark grout

## Sand Smooth ◉



IM-0000434

## Shell Smooth ◉



IM-0007000

## Cloud Smooth ◉



IM-0020126

## Frost Smooth ◉



IM-0018349

## Blush Smooth ◉ (shown opposite with white grout)



IM-0023801

◉ Suitable for use in wet areas



Blush Smooth



## Panorama

– a striking finish –

A rainbow of hues from subtle neutrals to daring blues, with uneven surfaces and a stunning depth and variation of colour. These tiles have a soft glaze which allows for the feel of the bisque to come through each layer, resulting in an artisanal speckled look.

# Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")

## Dale



IM-0006045

## Cliff



IM-0011768

## Stream



IM-0013893

## Rockpool




IM-0001857

## Reef




IM-0007077

## Cove shown opposite



IM-0017189

*Why not* try a diagonal or herringbone pattern for a dynamic look



Cove

 Suitable for use in wet areas with care. See page 132

 For dry areas only. See page 132

 Cracked or may crackle/craze. See page 132

# Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")

Pasture 



IM-0008795

Meadow 




IM-0003478

Tundra 




IM-0005440

Shore  shown opposite



IM-0012400

*Accentuate* tile layouts with a darker grout



Shore

# Panorama

240 x 60 x 12mm (2 3/8" x 9 7/16" x 1/2")


*Vertical* brickbond patterns add a sense of height

## Quarry




IM-0007536

## Moor




IM-0013947

## Spring




IM-0009221

## Tor shown opposite



IM-0009128



Tor

# Metropolitan

– rustic lustre –

Tiles and their mouldings in a unique lustrous finish, which glistens with a pearl-like sheen. Choose from a variety of pastel tones or try teaming two shades together to create a delicate yet striking two-tone effect.

## 200mm Brick

200 x 100mm (4" x 8")  
A contemporary brick format that looks great in larger areas



## Ogee Moulding

200 x 30mm (1<sup>3</sup>/<sub>16</sub>" x 8")  
Ideal to accompany the 200mm Brick



## Field Tile

130 x 130mm (5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>")  
The classic square tile



## Torus Moulding

130 x 43mm (1<sup>1</sup>/<sub>16</sub>" x 5<sup>1</sup>/<sub>8</sub>")  
Perfectly proportioned to match the Field Tile



# Metropolitan

## Chalk



Torus Moulding IM-0002898  
130 x 43mm / 1<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0021122  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Ogee Moulding IM-0023849  
200 x 30mm / 1<sup>1</sup>/<sub>8</sub>" x 8"



200mm Brick IM-0023839  
200 x 100mm / 4" x 8"

## Hibiscus shown opposite



Torus Moulding IM-0020729  
130 x 43mm / 1<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0003198  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Ogee Moulding IM-0023850  
200 x 30mm / 1<sup>1</sup>/<sub>8</sub>" x 8"



200mm Brick IM-0023840  
200 x 100mm / 4" x 8"



Hibiscus

 Suitable for use in wet areas

# Metropolitan

## Thatch ◉ (shown opposite on upper wall)



Torus Moulding IM-0003253  
130 x 43mm / 1 1/4" x 5/8"



Field Tile IM-0009526  
130 x 130mm / 5/8" x 5/8"

## Damask ◉



Torus Moulding IM-0003815  
130 x 43mm / 1 1/4" x 5/8"



Field Tile IM-0010092  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0023853  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023843  
200 x 100mm / 4" x 8"

## Hessian ◉ (shown opposite on lower wall)




Torus Moulding IM-0022933  
130 x 43mm / 1 1/4" x 5/8"



Field Tile IM-0021334  
130 x 130mm / 5/8" x 5/8"

◉ Suitable for use in wet areas



Thatch and Hessian

# Metropolitan

Enhance plain tiles with a matching moulding

## Hemp shown opposite



Torus Moulding IM-0014291  
130 x 43mm / 1<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0006748  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Ogee Moulding IM-0023852  
200 x 30mm / 1<sup>3</sup>/<sub>8</sub>" x 8"



200mm Brick IM-0023842  
200 x 100mm / 4" x 8"

## Mimosa



Torus Moulding IM-0008766  
130 x 43mm / 1<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0006832  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Hemp

# Metropolitan

## Anemone



Torus Moulding IM-0013841  
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile IM-0019467  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023854  
200 x 30mm / 1 3/16" x 8"



200mm Brick IM-0023844  
200 x 100mm / 4" x 8"

## Clover

shown opposite with white grout



Torus Moulding IM-0014261  
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile IM-0008814  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023855  
200 x 30mm / 1 3/16" x 8"



200mm Brick IM-0023845  
200 x 100mm / 4" x 8"

*Contrast* pale colours with a dark grout for added drama

## Blossom




Torus Moulding IM-0017384  
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile IM-0020146  
130 x 130mm / 5 1/8" x 5 1/8"

Suitable for use in wet areas



Clover

# Metropolitan

## Heather ○ shown opposite



Torus Moulding IM-0007827  
130 x 43mm / 1<sup>1</sup>/<sub>16</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0018383  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Ogee Moulding IM-0023851  
200 x 30mm / 1<sup>1</sup>/<sub>16</sub>" x 8"




200mm Brick IM-0023841  
200 x 100mm / 4" x 8"

## Heath ○



Torus Moulding IM-0021862  
130 x 43mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0005595  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"

## Pansy ○



Torus Moulding IM-0007401  
130 x 43mm / 1<sup>1</sup>/<sub>16</sub>" x 5<sup>1</sup>/<sub>8</sub>"



Field Tile IM-0012545  
130 x 130mm / 5<sup>1</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>8</sub>"

○ Suitable for use in wet areas



Heather

# Metropolitan

## Lupin



Torus Moulding IM-0008856  
130 x 43mm / 5 1/8" x 5 1/8"



Field Tile IM-0020710  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023857  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023847  
200 x 100mm / 4" x 8"

## Cornflower



Torus Moulding IM-0014937  
130 x 43mm / 1 1/8" x 5 1/8"



Field Tile IM-0005129  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023856  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023846  
200 x 100mm / 4" x 8"

## Lazul

shown opposite



Torus Moulding IM-0005368  
130 x 43mm / 1 1/8" x 5 1/8"



Field Tile IM-0000884  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023858  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023848  
200 x 100mm / 4" x 8"

Suitable for use in wet areas



Lazul with York pattern (in White) from the Victorian Floor Tiles range

*300mm Brick*

300 x 75mm (3" x 12")  
A contemporary take on the ever popular brick shape, our favourite format for a striking herringbone pattern

*Ogee Moulding*

200 x 30mm  
(1 3/16" x 8")

*Mouldings:*

*Ogee* A slim and elegant moulding that can be used with any of the tiles in this range, but is particularly suited to the longer brick formats

*Torus* Ideally proportioned to accompany Field tiles and Half tiles.

*Torus Moulding*

130 x 43mm  
(1 1/16" x 5 1/8")

*Half Tile*

130 x 63mm (2 1/2" x 5 1/8")

# Arcadian

– rustic crackle –

Muted chalky colours in delicately textured, randomly crackled glazes. Perfect for creating a softly aged look in sumptuous tones.

*200mm Brick*


200 x 100mm (4" x 8")  
This larger brick is classic in shape but offers a contemporary larger format

*Field Tile*

130 x 130mm (5 1/8" x 5 1/8")

# Arcadian

## Porcelain



## Dune shown opposite



## Lace



 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132



Dune

# Arcadian

## Linen



Torus Moulding IM-0020845  
130 x 43mm / 1 1/16" x 5 1/8"



Field Tile IM-0010895  
130 x 130mm / 5 1/8" x 5 1/8"



Glaze detail

## Birch shown opposite



Torus Moulding IM-0012808  
130 x 43mm / 1 1/16" x 5 1/8"



Ogee Moulding IM-0008626  
200 x 30mm / 1 3/16" x 8"



Glaze detail



Half Tile IM-0015051  
130 x 63mm / 2 1/2" x 5 1/8"



200mm Brick IM-0006865  
200 x 100mm / 4" x 8"



Field Tile IM-0009800  
130 x 130mm / 5 1/8" x 5 1/8"



300mm Brick IM-0019213  
300 x 75mm / 3" x 12"

## Mink



Torus Moulding IM-0009612  
130 x 43mm / 1 1/16" x 5 1/8"




Field Tile IM-0014594  
130 x 130mm / 5 1/8" x 5 1/8"



Glaze detail

 Suitable for use in wet areas with care. See page 132

 Crackled or may crackle/craze. See page 132



Birch

# Arcadian


## Tern



## Danube



*Rotate* alternate pairs of half tiles to get this look



## Teal shown opposite



 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132



Teal

# Arcadian

## Moselle shown opposite



Torus Moulding IM-0000095  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0020078  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0012433  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0005080  
200 x 30mm / 1 1/4" x 8"



200mm Brick IM-0006976  
200 x 100mm / 4" x 8"



300mm Brick IM-0022486  
300 x 75mm / 3" x 12"

## Estuary



Torus Moulding IM-0018231  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0023828  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0001475  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0023837  
200 x 30mm / 1 1/4" x 8"



200mm Brick IM-0023831  
200 x 100mm / 4" x 8"



300mm Brick IM-0023834  
300 x 75mm / 3" x 12"

## Sedge



Torus Moulding IM-0007272  
130 x 43mm / 1 1/8" x 5/8"



Field Tile IM-0000005  
130 x 130mm / 5/8" x 5/8"

 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132



Moselle with Porcelain Ogee mouldings IM-0013928 (see page 36)

# Cosmopolitan

— rustic gloss —

A collection of beautifully crafted, high gloss tiles in a variety of shapes and sizes. Cosmopolitan tiles have a rustic clay base that helps to create their signature undulating surfaces and uneven edges for a wonderfully artisanal yet chic look.

## 200mm Brick

200 x 100mm (4" x 8")  
This contemporary, larger brick format that is ideal for use in larger spaces

## Field Tile

130 x 130mm (5 1/8" x 5 1/8")

## Half Tile

130 x 63mm (2 1/2" x 5 1/8")

## Torus Moulding

130 x 43mm  
(1 1/16" x 5 1/8")  
Perfectly sized to match Field and Half tiles

## 300mm Brick

300 x 75mm (3" x 12")  
A contemporary take on the ever popular brick shape, looks great brick-bonded or in a herringbone pattern

## Ogee Moulding


200 x 30mm (1 3/16" x 8")  
A slim, elegant moulding that looks great with the longer brick formats

# Cosmopolitan

## China White



Torus Moulding IM-0017882  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0000789  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0018354  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0012477  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0001880  
200 x 100mm / 4" x 8"




300mm Brick IM-0007870  
300 x 75mm / 3" x 12"

## Papyrus

shown opposite



Torus Moulding IM-0020971  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0009062  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0021086  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0011271  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0017948  
200 x 100mm / 4" x 8"



300mm Brick IM-0012796  
300 x 75mm / 3" x 12"



Papyrus

Decorated tiles

Patterned tiles on Papyrus - see pages 72 & 78

## Palomino



Torus Moulding IM-0018885  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0017818  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0003447  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0008942  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0009456  
200 x 100mm / 4" x 8"



300mm Brick IM-0018042  
300 x 75mm / 3" x 12"



Palomino

Patterned tile

See Ormeaux on Palomino on page 78



Papyrus

● Suitable for use in wet areas

# Cosmopolitan

## Pumice



Torus Moulding IM-0010698  
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile IM-0004954  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0013797  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0019874  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0007382  
200 x 100mm / 4" x 8"



300mm Brick IM-0022322  
300 x 75mm / 3" x 12"



See the Manoir pattern range  
printed on Pumice  
on page 72

## Mere



Torus Moulding IM-0010719  
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile IM-0019426  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0019171  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023004  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0012402  
200 x 100mm / 4" x 8"




300mm Brick IM-0022989  
300 x 75mm / 3" x 12"



See the new coordinating  
patterned tiles  
on page 67

## Mint



Torus Moulding IM-0004598  
130 x 43mm / 1 1/8" x 5 1/8"



Half Tile IM-0006877  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0012534  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0005131  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0009302  
200 x 100mm / 4" x 8"



300mm Brick IM-0018749  
300 x 75mm / 3" x 12"



See patterned tiles printed on a  
Mint base on pages  
70 and 78



○ Suitable for use in wet areas

△ Suitable for use in wet areas with care. See page 132

✱ Cracked or may crackle/craze. See page 132

# Cosmopolitan

*Experiment* with pattern layouts for different effects

## Flint



Torus Moulding IM-0017622  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0010055  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0016133  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023819  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023803  
200 x 100mm / 4" x 8"



300mm Brick IM-0023811  
300 x 75mm / 3" x 12"

## Thebes



Torus Moulding IM-0012549  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0018931  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0004492  
130 x 130mm / 5 1/8" x 5 1/8"




Ogee Moulding IM-0023820  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023804  
200 x 100mm / 4" x 8"



300mm Brick IM-0023812  
300 x 75mm / 3" x 12"



See Ormeaux on Thebes  
on page 78

## Truffle shown opposite



Torus Moulding IM-0020950  
130 x 43mm / 1 1/4" x 5 1/8"



Field Tile IM-0016726  
130 x 130mm / 5 1/8" x 5 1/8"



See the Chateaux pattern  
collection printed on  
Truffle on page 76

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 132

 May crackle/craze. See page 132



Flint with Greenway Teal IM-0025921 from Odyssey

# Cosmopolitan

## Straw shown opposite



Torus Moulding IM-0022209  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0005895  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0007145  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023821  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023805  
200 x 100mm / 4" x 8"



300mm Brick IM-0023813  
300 x 75mm / 3" x 12"

## Chestnut



Torus Moulding IM-0003647  
130 x 43mm / 1 1/8" x 5/8"



Field Tile IM-0023335  
130 x 130mm / 5 1/8" x 5 1/8"



*Chestnut*



Patterned tile

See Ormeaux on Chestnut on page 78


## Sloe



Torus Moulding IM-0001661  
130 x 43mm / 1 1/8" x 5/8"



Field Tile IM-0000532  
130 x 130mm / 5 1/8" x 5 1/8"




*Sloe*



Patterned tile

See Ormeaux on Sloe on page 79



Straw

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 132

 May crackle/craze. See page 132

# Cosmopolitan

## Tourmaline ✨



Torus Moulding IM-0013884  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0013007  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0015463  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0023826  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023810  
200 x 100mm / 4" x 8"



300mm Brick IM-0023818  
300 x 75mm / 3" x 12"

## Lagoon ✨ shown opposite



Torus Moulding IM-0015542  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0007356  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0013569  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0017002  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0007737  
200 x 100mm / 4" x 8"



300mm Brick IM-0012029  
300 x 75mm / 3" x 12"



See Ormeaux on Lagoon  
on page 79

## Bastille ✨



Torus Moulding IM-0012235  
130 x 43mm / 1 1/8" x 5/8"



Half Tile IM-0020426  
130 x 63mm / 2 1/2" x 5/8"



Field Tile IM-0001851  
130 x 130mm / 5/8" x 5/8"



Ogee Moulding IM-0023825  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023809  
200 x 100mm / 4" x 8"



300mm Brick IM-0022056  
300 x 75mm / 3" x 12"



See Ormeaux on Bastille  
on page 79



Lagoon with Braemar pattern (in Chester Mews and Revival Grey) from the Victorian Floor Tiles range

✨ For dry areas only. See page 132

⚠ May crackle/craze. See page 132

# Cosmopolitan

## Agapanthus



Torus Moulding IM-0015999  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0017631  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0021435  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0021454  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0017046  
200 x 100mm / 4" x 8"



300mm Brick IM-0020751  
300 x 75mm / 3" x 12"


## Amun



Torus Moulding IM-0018901  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0005849  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0010337  
130 x 130mm / 5 1/8" x 5 1/8"




Ogee Moulding IM-0023824  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023808  
200 x 100mm / 4" x 8"



300mm Brick IM-0023816  
300 x 75mm / 3" x 12"



See the Chateaux Ormeaux pattern on Amun on page 79

## Lapis Blue shown opposite



Torus Moulding IM-0010016  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0021697  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0002452  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0014610  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0021706  
200 x 100mm / 4" x 8"



300mm Brick IM-0006173  
300 x 75mm / 3" x 12"



Lapis Blue

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 132

 May crackle/craze. See page 132

# Cosmopolitan


*Counterbalance* rich colours with a white or cream option as shown opposite

## Marsh shown opposite




See the new coordinating patterned tiles on page 65

## Glen



See the Chateaux Ormeaux pattern on Glen on page 79

## Blackberry



See the Chateaux Ormeaux pattern on Blackberry on page 79

 Suitable for use in wet areas



Marsh with China White Half tiles IM-0000789, Torus mouldings IM-0017882 and Field tiles IM-0018354 (see page 46)

# Cosmopolitan

## Tayberry shown opposite



Torus Moulding IM-0022446  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0012881  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0019061  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023822  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023806  
200 x 100mm / 4" x 8"



300mm Brick IM-0023814  
300 x 75mm / 3" x 12"



See Manoir patterns on  
Tayberry (page 70)  
and the new Montagne Tayberry  
design on page 64.

## Musk



Torus Moulding IM-0010772  
130 x 43mm / 1 1/4" x 5 1/8"



Half Tile IM-0003890  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0010839  
130 x 130mm / 5 1/8" x 5 1/8"



Ogee Moulding IM-0023823  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0023807  
200 x 100mm / 4" x 8"



300mm Brick IM-0023815  
300 x 75mm / 3" x 12"

## Rioja




Torus Moulding IM-0015660  
130 x 43mm / 5/8" x 5 1/8"



Half Tile IM-0019067  
130 x 63mm / 2 1/2" x 5 1/8"



Field Tile IM-0018474  
130 x 130mm / 5 1/8" x 5 1/8"




Ogee Moulding IM-0002117  
200 x 30mm / 1 3/8" x 8"



200mm Brick IM-0015731  
200 x 100mm / 4" x 8"



300mm Brick IM-0006014  
300 x 75mm / 3" x 12"



See the Chateaux Ormeaux  
pattern on Rioja  
on page 79



Tayberry with Manoir Deco Tayberry IM-0023666 (see page 70)

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 132

 May crackle/craze. See page 132

## Cosmopolitan Decoratives

— patterns and prints —

An array of decorated and patterned tiles, from bold motifs to delicate details, there's a style for every taste. These tiles look beautiful when used across an expanse of space or singularly as a drop-in feature when teamed with their coordinating bases from the Cosmopolitan collection.

### Chateaux

130 x 130mm (5 1/8" x 5 1/8")  
Rich patterns in vivid colours,  
inspired by rugs and pottery  
from around the globe

### Botanique NEW

130 x 130mm (5 1/8" x 5 1/8")  
Pretty decorative tiles with  
4 levels detail, so you can have  
as much or as little  
pattern as you like

### Illustrated Designs

130 x 130mm (5 1/8" x 5 1/8")  
Drawn and painted motifs in a  
range of subjects, all on  
pale backgrounds

### Fabrique

200 x 100mm (4" x 8")  
Pretty hand drawn patterns,  
recreated in soft-toned glazes

### Manoir

130 x 130mm (5 1/8" x 5 1/8")  
Geometric designs in reactive  
glazes for truly unique tiles

# Botanique



A mix of Montagne Tayberry with Cotton IM-0027720 and Tayberry IM-0019061 Field tiles

Suitable for use in wet areas



Use with  
*Marsh*

Plain tiles and mouldings  
on page 58

## Jardin Marsh



Jardin Marsh 1  
IM-0029510



Jardin Marsh 2  
IM-0029511



Jardin Marsh 3  
IM-0029512



Jardin Marsh 4  
IM-0029513



A mix of all Jardin Marsh designs

Suitable for use in wet areas

## Montagne Tayberry



Montagne Tayberry 1  
IM-0029514



Montagne Tayberry 2  
IM-0029515



Montagne Tayberry 3  
IM-0029516



Montagne Tayberry 4  
IM-0029517



Use with  
*Tayberry*

Plain tiles and mouldings  
on page 60

*Plain tile*  
Matches the background  
glaze of all Botanique designs



Cotton coordinating plain  
field tile IM-0027720

### *More or less?*

Botanique tiles look best when randomly mixed, and with 4 levels of detail available in each design it's easy to vary the density of the pattern. Go full-on for a bold look or incorporate plain tiles for a lighter touch (examples below) the choice is yours! The examples shown below are also applicable to Botanique Montagne and Botanique Paradis designs.



*Light:*  
Jardin Marsh Tiles 1 / 2 / 3 mixed  
with plain Cotton tiles



*Medium:*  
Jardin Marsh Tiles 1 / 2 / 3 / 4



*Detailed:*  
Jardin Marsh Tiles 3 / 4



Paradis Mere with Mere Field tiles IM-0019171

## Botanique

Use with  
*Mere*



Plain tiles and mouldings  
on page 48



**NEW** **Paradis Mere** ◉



Paradis Mere 1  
IM-0027679



Paradis Mere 2  
IM-0027680



Paradis Mere 3  
IM-0027681



Paradis Mere 4  
IM-0027682

*Plain tile*  
Matches the background  
glaze of all Botanique designs



Cotton coordinating plain  
field tile IM-0027720

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")

◉ Suitable for use in wet areas

# Fabrique

Mix and match with plain Papyrus tiles and mouldings on page 46



## French Blue



Clara French Blue  
IM-0004276



Coraline French Blue  
IM-0017314



Picot French Blue  
IM-0008683



Rosaline French Blue  
IM-0004060


## Dove Grey



Clara Dove Grey  
IM-0008937



Coraline Dove Grey  
IM-0007425



Picot Dove Grey  
IM-0014437



Rosaline Dove Grey  
IM-0010391

## Soft Taupe



Clara Soft Taupe  
IM-0023380



Coraline Soft Taupe  
IM-0023037



Picot Soft Taupe  
IM-0008383



Rosaline Soft Taupe  
IM-0004218



Rosaline, Picot and Coraline, in Dove Grey

● Suitable for use in wet areas

All tiles: 200 x 100mm (4" x 8")

# Manoir

## Azure on Mint



All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Deco Mint  
IM-0004962



Provence Mint  
IM-0006596



Nuage Mint  
IM-0012254



Fleur Mint  
IM-0019452



Maroc Mint  
IM-0011900




Trellis Mint  
IM-0014377

*Mint* plain tiles and mouldings are on page 48


## Plumtree on Tayberry




Deco Tayberry  
IM-0023666



Provence Tayberry  
IM-0023670



Nuage Tayberry  
IM-0023669



Fleur Tayberry  
IM-0023667



Maroc Tayberry  
IM-0023668



Trellis Tayberry  
IM-0023671

*Tayberry* plain tiles and mouldings are on page 60



Patchwork of Azure on Mint

 Suitable for use in wet areas

 Suitable for use in wet areas with care. See page 132

 Crackled or may crackle/craze. See page 132

# Manoir

## Midnight on Papyrus




*Papyrus* plain tiles and mouldings are on page 46

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Deco Papyrus  
IM-0008508



Provence Papyrus  
IM-0016929



Nuage Papyrus  
IM-0005134



Fleur Papyrus  
IM-0017855



Maroc Papyrus  
IM-0005552



Trellis Papyrus  
IM-0014953

## Messel on Pumice



*Pumice* plain tiles and mouldings are on page 48



Deco Pumice  
IM-0023329



Provence Pumice  
IM-0005430



Nuage Pumice  
IM-0001606



Fleur Pumice  
IM-0005874



Maroc Pumice  
IM-0005196



Trellis Pumice  
IM-0016017



Patchwork of Midnight on Papyrus


# Chateaux

## Ormeaux ◉



Ormeaux on Papyrus  
IM-0004288

## Villette ◉




Villette on Papyrus  
IM-0009620

## Behen ◉



Behen on Papyrus  
IM-0021965

## Merles ◉




Merles on Papyrus  
IM-0022653

## Bourron ◉



Bourron on Papyrus  
IM-0004769

All designs are on *Papyrus*



See page 46 to see  
the options


All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Patchwork of Ormeaux, Villette, Behen, Merles and Bourron on Papyrus

# Chateaux

## Ormeaux



Ormeaux on Truffle  
IM-0023434

## Villette




Villette on Truffle  
IM-0006070

## Behen




Behen on Truffle  
IM-0011544

## Merles



Merles on Truffle  
IM-0001011

## Bourron



Bourron on Truffle  
IM-0020518

All designs are on *Truffle*



See page 50 to see  
the options



Patchwork of Ormeaux, Villette, Behen, Merles and Bourron on Truffle



Red on Mint




Ormeaux Red on Mint  
IM-0016881

Blue on Mint




Ormeaux Blue on Mint  
IM-0011540

on Lagoon




Ormeaux on Lagoon  
IM-0022092

on Amun



Ormeaux on Amun  
IM-0006766

on Palomino




Ormeaux on Palomino  
IM-0001429

on Thebes



Ormeaux on Thebes  
IM-0001107

on Bastille



Ormeaux on Bastille  
IM-0000153

on Sloe



Ormeaux on Sloe  
IM-0003327

on Glen



Ormeaux on Glen  
IM-0005652

on Chestnut



Ormeaux on Chestnut  
IM-0001020

on Blackberry



Ormeaux on Blackberry  
IM-0013446

on Rioja



Ormeaux on Rioja  
IM-0011057

Suitable for use in wet areas  
 For dry areas only. See page 132

Suitable for use in wet areas with care. See page 132  
 Cracked or may crackle/craze. See page 132

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")

Suitable for use in wet areas  
 For dry areas only. See page 132

Suitable for use in wet areas with care. See page 132  
 Cracked or may crackle/craze. See page 132

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Random mix of all Chateaux Ormeaux designs (see pages 74-79)

Designs on Cotton



Parsley IM-0008640



Dill IM-0019587



Oregano IM-0021274



Linen Border Grey IM-0002494



Saffron IM-0016712



Ginger IM-0012390



Chives IM-0000910



Linen Corner Grey IM-0020460



Fennel IM-0017724



Nutmeg IM-0005156



Cotton coordinating plain half tile IM-0029717

130 x 63 x 10mm (2½" x 5½" x ¾")

130 x 130 x 10mm (5½" x 5½" x ¾")

Designs on Cotton

All tiles: 130 x 130 x 10mm (5½" x 5½" x ¾")



Painted Beauty IM-0002603



Lavender Sprite and Emerald Siren IM-0003184



Indigo Swallowtail IM-0003407



Cotton coordinating plain field tile IM-0027720



Pandora White and Azure Angel IM-0004610



Amethyst Aurora IM-0013586



Spangled Saffron IM-0007415



Accent  
you can add extra impact by accessorising with a coloured moulding - see pages 46-60

Suitable for use in wet areas



with Cotton coordinating plain half tiles



Suitable for use in wet areas



with Cotton coordinating plain field tiles

# Botanical Fruit

Designs on Cotton 

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



Apple  
IM-0000008



Lemon  
IM-0009867



Pear  
IM-0010037



Linen Border Sepia  
IM-0011647



Kiwi  
IM-0007550



Orange  
IM-0023026



Peach  
IM-0003212



Linen Corner Sepia  
IM-0000799



Cotton coordinating  
plain field tile IM-0027720



Apple 6 Tile Panel  
IM-0020176



Lemon 6 Tile Panel  
IM-0013787



Apple 6 Tile Panel with Cotton coordinating plain field tiles

Designs on Cotton



Lighthouse  
IM-0000558



Anchor  
IM-0009217



Compass  
IM-0010680



Linen Border Blue  
IM-0009316



Linen Corner Blue  
IM-0022562



Brigg  
IM-0022276



Yawl  
IM-0009508

Accessorise



Nautical designs look great with Agapanthus see page 56



Cotton coordinating plain field tile IM-0027720

Designs on Cotton



Brood of Chickens  
IM-0007039



Warren of Hares  
IM-0006429



Drove of Cattle  
IM-0013510



Linen Border Sepia  
IM-0011647



Linen Corner Sepia  
IM-0000799



Brace of Pheasant  
IM-0014772



Flock of Sheep  
IM-0003511



Litter of Pigs  
IM-0022640



Contrast

with Truffle or Chestnut. See pages 50 and 52



Cotton coordinating plain field tile IM-0027720

Suitable for use in wet areas

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



with Cotton coordinating plain field tiles



Suitable for use in wet areas

All tiles: 130 x 130 x 10mm (5 1/8" x 5 1/8" x 3/8")



with Cotton coordinating plain field tiles

# Artisan

— inspired by nature —

Artisan comprises soft colours with a timeless appeal. Evolved from the process of refining raw clay, pouring and pressing, moulding and shaping. Every piece is carefully crafted and skilfully finished. Artisan consists of 12 gloss glaze colours and six crackled glazes in field tile, half tile and brick as well as some decorative options.

*Empire*

150 x 15mm (5/8" x 6")

*225mm Brick*

225 x 75mm (3" x 9")

*Chelsea*

150 x 13mm (1/4" x 6")

*Field Tile*

150 x 150mm (6" x 6")

*Half Tile*

150 x 75mm (3" x 6")

*Knightsbridge*

32 x 32mm (1 1/4" x 1 1/4")

Knightsbridge and Hampstead 'drop-in' mouldings can be used as inserts in areas of plain tiling.

*Hampstead*

75 x 75mm (3" x 3")

*Skirting*

150 x 150mm (6" x 6")

*Baroque*

150 x 65mm (2 1/2" x 6")

*Clarence*

225 x 55mm (2 3/16" x 6")  
The same profile as Hampton, sized to match 225mm bricks

*Beaulieu*

150 x 23mm (7/8" x 6")

*Bundled Reed*

150 x 27mm (1 1/8" x 6")

*Hampton*

150 x 55mm (2 3/16" x 6")  
The same profile as Clarence, sized to match Field and Half tiles

*Buckingham*

150 x 75mm (3" x 6")

*Kensington*

150 x 40mm (1 5/8" x 6")

See page 98-99 for dimensions, colour options and product codes

# Artisan

## Helmingham Gloss (Crackle )



Gloss Field Tile IM-0000792  
Crackle Field Tile IM-0010405\*  
150 x 150 x 10mm  
6" x 6" x 3/8"



Crackle finish available\*



For a full range of mouldings in this colour. See page 98



Gloss Half Tile IM-0001114  
Crackle Half Tile IM-0000107\*  
150 x 75 x 10mm  
3" x 6" x 3/8"



Gloss Brick Tile IM-0015521  
Crackle Brick Tile IM-0012051\*  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Melford Gloss shown opposite (Crackle )



Gloss Field Tile IM-0016906  
Crackle Field Tile IM-0001458\*  
150 x 150 x 10mm  
6" x 6" x 3/8"



Crackle finish available\*



For a full range of mouldings in this colour. See page 98



Gloss Half Tile IM-0015002  
Crackle Field Tile IM-0000250\*  
150 x 75 x 10mm  
3" x 6" x 3/8"



Gloss Brick Tile IM-0000015  
Crackle Brick Tile IM-0005633\*  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Hadleigh Gloss



Field Tile IM-0007181  
150 x 150 x 10mm  
6" x 6" x 3/8"



For a full range of mouldings in this colour. See page 98




Half Tile IM-0005042  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0020049  
225 x 75 x 10mm  
3" x 9" x 3/8"

-  Suitable for use in wet areas
-  Suitable for use in wet areas with care. See page 132
-  Crackled or may crackle/craze. See page 132

\*The hue of Crackle finishes may differ from that of Gloss



Melford Gloss with Kensington IM-0020834, Baroque IM-0003981 and Chelsea IM-0005496 mouldings (see page 98)

# Artisan

## Waveney Gloss ● shown opposite



Field Tile IM-0023861  
150 x 150 x 10mm  
6" x 6" x 3/8"



For a full range of  
mouldings in this colour.  
See page 99



Half Tile IM-0023864  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0023867  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Dunwich Gloss ● (Crackle ▲ ✱)



Gloss Field Tile IM-0015698  
Crackle Field Tile IM-0003021\*  
150 x 150 x 10mm  
6" x 6" x 3/8"



Crackle finish  
available\*



For a full range of  
mouldings in this colour.  
See page 99



Gloss Half Tile IM-0019320  
Crackle Half Tile IM-0016834\*  
150 x 75 x 10mm  
3" x 6" x 3/8"



Gloss Brick Tile IM-0015563  
Crackle Brick Tile IM-0018798\*  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Sudbury Gloss ● (Crackle ▲ ✱)



Gloss Field Tile IM-0010001  
Crackle Field Tile IM-0006218\*  
150 x 150 x 10mm  
6" x 6" x 3/8"



Crackle finish  
available\*



For a full range of  
mouldings in this colour.  
See page 99



Gloss Field Tile IM-0009770  
Crackle Half Tile IM-0020597\*  
150 x 75 x 10mm  
3" x 6" x 3/8"




Gloss Brick Tile IM-0023257  
Crackle Brick Tile IM-0005750\*  
225 x 75 x 10mm  
3" x 9" x 3/8"

● Suitable for use in wet areas

▲ Suitable for use in wet areas with care. See page 132

✱ Crackled or may crackle/craze. See page 132

\*The hue of Crackle finishes may differ from that of Gloss




Waveney with Clarence IM-0023879 mouldings (see page 99)

# Artisan

## Orford Gloss ○ shown opposite



Field Tile IM-0019503  
150 x 150 x 10mm  
6" x 6" x 3/8"



For a full range of  
mouldings in this colour.  
See page 99



Half Tile IM-0005759  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0004140  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Lavenham Gloss ○



Gloss Field Tile IM-0012369  
150 x 150 x 10mm  
6" x 6" x 3/8"



For a full range of  
mouldings in this colour.  
See page 98



Half Tile IM-0013916  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0006225  
225 x 75 x 10mm  
3" x 9" x 3/8"

## Ickworth Gloss ○



Field Tile IM-0004094  
150 x 150 x 10mm  
6" x 6" x 3/8"



For a full range of  
mouldings in this colour.  
See page 99



Half Tile IM-0022747  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0021394  
225 x 75 x 10mm  
3" x 9" x 3/8"



Orford with Kensington IM-0016022, Buckingham IM-0020280 and Skirting IM-0011609 mouldings (see page 99)

○ Suitable for use in wet areas

△ Suitable for use in wet areas with care. See page 132

⊗ Cracked or may crackle/craze. See page 132

# Artisan

## Snape Gloss ◉



Field Tile IM-0013475  
150 x 150 x 10mm  
6" x 6" x 3/8"



Half Tile IM-0012717  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0008803  
225 x 75 x 10mm  
3" x 9" x 3/8"



For a full range of mouldings in this colour. See page 99

## Southwold Gloss ◉



Field Tile IM-0023860  
150 x 150 x 10mm  
6" x 6" x 3/8"



Half Tile IM-0023863  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0023866  
225 x 75 x 10mm  
3" x 9" x 3/8"



For a full range of mouldings in this colour. See page 99

## Clare Gloss ◉ shown opposite



Field Tile IM-0023859  
150 x 150 x 10mm  
6" x 6" x 3/8"




Half Tile IM-0023862  
150 x 75 x 10mm  
3" x 6" x 3/8"



Brick Tile IM-0023865  
225 x 75 x 10mm  
3" x 9" x 3/8"



For a full range of mouldings in this colour. See page 99



Clare with Bundled Reed IM-0023895 and Skirting IM-0023880 mouldings (see page 99)

◉ Suitable for use in wet areas

Item	Face	Profile	Helmingham	Melford	Hadleigh	Lavenham		Ickworth	Orford	Sudbury	Snape	Dunwich	Waveney	Southwold	Clare
<b>Knightsbridge</b> 32 x 32mm / 1 1/4" x 1 1/4"			-	IM-0016312	IM-0007507	IM-0021376		IM-0011325	IM-0020559	IM-0021138	IM-0021971	IM-0017367	IM-0023885	IM-0023884	IM-0023883
<b>Hampstead</b> 75 x 75mm 3" x 3"			IM-0012923	IM-0004461	IM-0023555	IM-0019740		IM-0020463	IM-0015088	IM-0003935	IM-0012584	IM-0001423	IM-0023888	IM-0023887	IM-0023886
<b>Chelsea</b> 150 x 13mm / 1 1/4" x 6"			IM-0004097	IM-0005496	IM-0017560	IM-0018599		IM-0018647	IM-0011320	IM-0007185	IM-0009500	IM-0022349	IM-0023870	IM-0023869	IM-0023868
<b>Empire</b> 150 x 15mm / 3/8" x 6"			IM-0003152	IM-0006453	IM-0000919	IM-0022288		IM-0010283	IM-0002413	IM-0002062	IM-0016112	IM-0002099	IM-0023891	IM-0023890	IM-0023889
<b>Beaulieu</b> 150 x 23mm / 7/8" x 6"			IM-0020946	IM-0014318	IM-0021405	IM-0009704		IM-0020459	IM-0023582	IM-0001228	IM-0006685	IM-0012663	IM-0023894	IM-0023893	IM-0023892
<b>Bundled Reed</b> 150 x 27mm / 1 1/8" x 6"			IM-0022117	IM-0005996	IM-0015594	IM-0011607		IM-0002245	IM-0013953	IM-0009053	IM-0017377	IM-0002297	IM-0023897	IM-0023896	IM-0023895
<b>Kensington</b> 150 x 40mm 1 3/8" x 6"			IM-0012009	IM-0020834	IM-0003071	IM-0002834		IM-0014719	IM-0016022	IM-0002381	IM-0004712	IM-0006499	IM-0023873	IM-0023872	IM-0023871
<b>Baroque</b> 150 x 65mm 2 1/2" x 6"			IM-0008161	IM-0003981	IM-0005371	IM-0016486		IM-0014479	IM-0001396	IM-0021956	IM-0021675	IM-0013309	IM-0023900	IM-0023899	IM-0023898
<b>Buckingham</b> 150 x 75mm 3" x 6"			IM-0009087	IM-0010416	IM-0018827	IM-0005516		IM-0022574	IM-0020280	IM-0017217	IM-0007232	IM-0008600	IM-0023903	IM-0023902	IM-0023901
<b>Hampton</b> 150 x 55mm 2 3/8" x 6"			IM-0013849	IM-0010118	IM-0015804	IM-0001725		IM-0009400	IM-0014158	IM-0007186	IM-0021630	IM-0002308	IM-0023876	IM-0023875	IM-0023874
<b>Skirting</b> 150 x 150 x 15mm 6" x 6" x 5/8"			IM-0009415	IM-0023280	IM-0016778	IM-0011800		IM-0003524	IM-0011609	IM-0000947	IM-0015769	IM-0006228	IM-0023882	IM-0023881	IM-0023880
<b>Clarence</b> 225 x 55mm 2 3/8" x 9"			IM-0016014	IM-0009989	IM-0003289	IM-0007738		IM-0023347	IM-0006296	IM-0021712	IM-0000678	IM-0015404	IM-0023879	IM-0023878	IM-0023877
<b>Highgrove*</b> (Embossed Tile) 150 x 150 x 9mm 6" x 6" x 1 1/2"			IM-0026172	-	IM-0026173	-		-	-	IM-0026175	-	-	IM-0026174	-	-

\* Highgrove embossed tiles are fractionally thinner than Artisan plain field tiles. When placing them together, we recommend using one of the co-ordinating mouldings (shown above) to provide an attractive transition between the two. See the Highgrove photography on pages 100

# Artisan Highgrove Embossed

## Helmingham Gloss ◉ shown opposite



*Helmingham* field tiles\* are on page 92 and matching mouldings are on page 98



Embossed Tile IM-0026172  
150 x 150 x 9mm  
6" x 6" x 1/32"

## Waveney Gloss ◉



*Waveney* field tiles\* are on page 94 and matching mouldings are on page 99



Embossed Tile IM-0026174  
150 x 150 x 9mm  
6" x 6" x 1/32"

## Hadleigh Gloss ◉ shown opposite



*Hadleigh* field tiles\* are on page 90 and matching mouldings on page 98

Styled here (and shown opposite) with Ickworth.



Embossed Tile IM-0026173  
150 x 150 x 9mm  
6" x 6" x 1/32"

## Sudbury Gloss ◉



*Sudbury* field tiles\* are on page 92 and matching mouldings on page 99



Embossed Tile IM-0026175  
150 x 150 x 9mm  
6" x 6" x 1/32"

\* Highgrove embossed tiles are fractionally thinner than Artisan plain field tiles. We recommend using a co-ordinating moulding (See pages 98-99) to provide an attractive transition between the two – if using them together.



Highgrove in Helmingham with Kensington IM-0013849 and Chelsea IM-0004097 mouldings (see page 99)

# Artisan Patterned Tiles

## Helmingham



Bicton on Helmingham  
IM-0007496



Kew on Helmingham  
IM-0001770




Rosemoor on Helmingham  
IM-0000234



Wisley on Helmingham  
IM-0022964

## Helmingham Vintage



Bicton on Helmingham Vint.  
IM-0017075



Kew on Helmingham Vint.  
IM-0017848



Rosemoor on Helmingham Vint.  
IM-0005387



Wisley on Helmingham Vint.  
IM-0023493

*Helmingham* plain tiles and mouldings are on page 90

 Suitable for use in wet areas



Patchwork of Helmingham designs with Helmingham Half tiles

# Artisan Patterned Tiles

## Dunwich shown opposite



*Dunwich* plain tiles and mouldings are on page 92



Bicton on Dunwich  
IM-0003865



Kew on Dunwich  
IM-0021100



Rosemoor on Dunwich  
IM-0012940



Wisley on Dunwich  
IM-0013028

## Snape



*Snape* plain tiles and mouldings are on page 96



Bicton on Snape  
IM-0012906



Kew on Snape  
IM-0014150



Rosemoor on Snape  
IM-0010305



Wisley on Snape  
IM-0020940

## Sudbury



*Sudbury* plain tiles and mouldings are on page 92



Bicton on Sudbury  
IM-0007274



Kew on Sudbury  
IM-0021987



Rosemoor on Sudbury  
IM-0000382



Wisley on Sudbury  
IM-0006334



Patchwork of Dunwich designs with Dunwich Half tiles

 Suitable for use in wet areas

# Artisan Patterned Tiles

*Balance* rich patterns with plain tiles and mouldings in matching Helmingham – see page 90

## Topkapi ◉



Topkapi Blue  
IM-0019634



Topkapi Red  
IM-0011557



Topkapi Yellow  
IM-0012814

## Kutahya ◉



Kutahya  
IM-0001819

## Pasha ◉



Pasha  
IM-0018673



Topkapi Red with Field tiles IM-0000792 (see page 90) and Chelsea IM-0004097 mouldings in Helmingham (see page 98)

◉ Suitable for use in wet areas

# Classic

— rich glossy glazes —

The charm of all things hand moulded, hand painted or hand finished, is that no two pieces are likely to be identical. There's a wealth of choice, whether you are decorating a kitchen, bathroom, cloakroom, hallway, garden room or utility area.



# Classic

**NEW** Half tiles now available in all Classic colours

## Pure White



Half Tile IM-0005271  
127 x 63 x 10mm  
2½" x 5" x ⅜"



Field Tile IM-0021466  
127 x 127 x 10mm  
5" x 5" x ⅜"



Pencil Moulding IM-0018155  
127 x 13mm  
½" x 5"



Dado IM-0004782  
258 x 38mm  
1½" x 10⅞"

## Delft



Half Tile IM-0011907  
127 x 63 x 10mm  
2½" x 5" x ⅜"



Field Tile IM-0016012  
127 x 127 x 10mm  
5" x 5" x ⅜"



Pencil Moulding IM-0016138  
127 x 13mm  
½" x 5"



Dado IM-0009889  
258 x 38mm  
1½" x 10⅞"

See decorated tiles on *Delft*  
on pages 126



## Off White



Half Tile IM-0010945  
127 x 63 x 10mm  
2½" x 5" x ⅜"



Field Tile IM-0011099  
127 x 127 x 10mm  
5" x 5" x ⅜"



Pencil Moulding IM-0012554  
105 x 13mm  
½" x 4"



Pencil Moulding IM-0000849  
127 x 13mm  
½" x 5"



4" Field Tile IM-0000643  
105 x 105 x 10mm  
4⅞" x 4⅞" x ⅜"



Dado IM-0000170  
214 x 38mm  
1½" x 8⅞"



Dado IM-0012325  
258 x 38mm  
1½" x 10⅞"



Dado Rail Turn  
IM-0007414



Dado Rail Corner  
IM-0010925

*Decorated* tiles on Off White  
are on pages 120 - 125 and 128 - 129



Pure White Half tiles and Field tiles with Dado and Pencil mouldings

 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132

**NEW** Half tiles now available in all Classic colours

Oyster 



Half Tile IM-0013206  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0016205  
127 x 127 x 10mm  
5" x 5" x 3/8"

Pearl 



Half Tile IM-0014673  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0014232  
127 x 127 x 10mm  
5" x 5" x 3/8"

Pebble 




Half Tile IM-0014395  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0020292  
127 x 127 x 10mm  
5" x 5" x 3/8"

Peridot 



Half Tile IM-0008974  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0000617  
127 x 127 x 10mm  
5" x 5" x 3/8"

Flax 



Half Tile IM-0015236  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0006920  
127 x 127 x 10mm  
5" x 5" x 3/8"

Canvas 



Half Tile IM-0004604  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0014343  
127 x 127 x 10mm  
5" x 5" x 3/8"

Maize 



Half Tile IM-0001659  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0018944  
127 x 127 x 10mm  
5" x 5" x 3/8"

Soft Yellow 




Half Tile IM-0013469  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0003306  
127 x 127 x 10mm  
5" x 5" x 3/8"

Walnut 



Half Tile IM-0019556  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0021099  
127 x 127 x 10mm  
5" x 5" x 3/8"

Putty 



Half Tile IM-0020498  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0015593  
127 x 127 x 10mm  
5" x 5" x 3/8"

Honey 




Half Tile IM-0007166  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0008725  
127 x 127 x 10mm  
5" x 5" x 3/8"

Amber  shown below



Half Tile IM-0004937  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0007861  
127 x 127 x 10mm  
5" x 5" x 3/8"

 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132

Half tiles now available in all Classic colours **NEW**

**NEW** Half tiles now available in all Classic colours

Tarragon 



Half Tile IM-0013013  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0007266  
127 x 127 x 10mm  
5" x 5" x ¾"

Olive 



Half Tile IM-0002808  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0011355  
127 x 127 x 10mm  
5" x 5" x ¾"

Celadon 



Half Tile IM-0016862  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0004752  
127 x 127 x 10mm  
5" x 5" x ¾"



Pencil Moulding IM-0022071  
127 x 13mm  
½" x 5"



Dado IM-0014473  
258 x 38mm  
1½" x 10½"

Fennel 




Half Tile IM-0015491  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0005925  
127 x 127 x 10mm  
5" x 5" x ¾"

Lime Green 



Half Tile IM-0008623  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0005456  
127 x 127 x 10mm  
5" x 5" x ¾"

Sage 



Half Tile IM-0019247  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0008139  
127 x 127 x 10mm  
5" x 5" x ¾"

Marine Blue 



Half Tile IM-0016776  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0020474  
127 x 127 x 10mm  
5" x 5" x ¾"

Thyme 



Half Tile IM-0022444  
127 x 63 x 10mm  
2½" x 5" x ¾"




Field Tile IM-0022399  
127 x 127 x 10mm  
5" x 5" x ¾"

Emerald Green 



Half Tile IM-0010996  
127 x 63 x 10mm  
2½" x 5" x ¾"




Field Tile IM-0012320  
127 x 127 x 10mm  
5" x 5" x ¾"

Deep Turquoise 




Half Tile IM-0004432  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0015160  
127 x 127 x 10mm  
5" x 5" x ¾"

Moonstone 



Half Tile IM-0013320  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0012463  
127 x 127 x 10mm  
5" x 5" x ¾"

**NEW** Half tiles now available in all Classic colours

**Jade** ✪✪



Half Tile IM-0005223  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0007228  
127 x 127 x 10mm  
5" x 5" x ¾"

**Prussian Blue** ✪✪




Half Tile IM-0010401  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0007511  
127 x 127 x 10mm  
5" x 5" x ¾"

**Sapphire** ▲✪




Half Tile IM-0010803  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0010691  
127 x 127 x 10mm  
5" x 5" x ¾"

**Cobalt Blue** ▲✪ shown below



Half Tile IM-0021175  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0015433  
127 x 127 x 10mm  
5" x 5" x ¾"

**Periwinkle** ▲✪



Half Tile IM-0013713  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0012744  
127 x 127 x 10mm  
5" x 5" x ¾"



Pencil Moulding IM-0006747  
127 x 13mm  
½" x 5"



Dado IM-0002402  
258 x 38mm  
1½" x 10½"

**Sky Blue** ▲✪



Half Tile IM-0018904  
127 x 63 x 10mm  
2½" x 5" x ¾"



Field Tile IM-0004728  
127 x 127 x 10mm  
5" x 5" x ¾"

▲ Suitable for use in wet areas with care. See page 132

✪ For dry areas only. See page 132

✪✪ Cracked or may crackle/craze. See page 132



Cobalt Blue

▲ Suitable for use in wet areas with care. See page 132

✪ For dry areas only. See page 132

✪✪ Cracked or may crackle/craze. See page 132

**NEW** Half tiles now available in all Classic colours



Black

Grey




Half Tile IM-0001556  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0019133  
127 x 127 x 10mm  
5" x 5" x 3/8"

Black shown above



Half Tile IM-0007890  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"




Field Tile IM-0017912  
127 x 127 x 10mm  
5" x 5" x 3/8"

Raspberry shown right



Half Tile IM-0018235  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0005226  
127 x 127 x 10mm  
5" x 5" x 3/8"



Raspberry

Half tiles now available in all Classic colours **NEW**

Vermillion




Half Tile IM-0006633  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0009718  
127 x 127 x 10mm  
5" x 5" x 3/8"

New Burgundy



Half Tile IM-0008073  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0006227  
127 x 127 x 10mm  
5" x 5" x 3/8"

Ruby



Half Tile IM-0015647  
127 x 63 x 10mm  
2 1/2" x 5" x 3/8"



Field Tile IM-0001516  
127 x 127 x 10mm  
5" x 5" x 3/8"



Pencil Moulding IM-0018636  
127 x 13mm  
1/2" x 5"



Dado IM-0014844  
258 x 38mm  
1 1/2" x 10 1/8"

Suitable for use in wet areas with care. See page 132  
 Cracked or may crackle/craze. See page 132

Suitable for use in wet areas with care. See page 132  
 Cracked or may crackle/craze. See page 132

# Classic Decoratives

– a touch of character –

From fine illustrations, hand decorated delft, tube-lined flowers and moulded and raised fruits, bugs and flowers, Classic Decoratives are perfect for adding character and to any space.



# Hand painted – Floral Collection

Use with plain Off White tiles – see page 110

NEW

All designs on Off White  



Sea Bindweed  
IM-0027633



Buttercup  
IM-0027629



Forget-Me-Not  
IM-0027631



Daisy  
IM-0027627



Meadow Cranesbill  
IM-0027635



Dog Rose  
IM-0027637

All tiles 127 x 127 x 10mm / 5" x 5" x 3/8"

 Suitable for use in wet areas



with Off White Field tiles

# Hand painted – Summer Fruits

Use with plain Off White tiles – see page 110

NEW

All designs on Off White  



Lemon  
IM-0029330



Cherry  
IM-0029329



Apple  
IM-0029331



Strawberry  
IM-0029328



Pear  
IM-0029318



Apricot  
IM-0029327

All tiles 127 x 127 x 10mm / 5" x 5" x 3/8"



 Suitable for use in wet areas



with Off White Field tiles

# Hand Crafted Panels

Use with plain Off White tiles – see page 110



with Off White Field tiles

All designs on Off White  

## Chicken Coop



Chicken Coop Colour 40 Tile Panel IM-0007389



Maran IM-0022923  
Off White 6 Tile Panel



Dutch Chicken IM-0007205  
Off White 6 Tile Panel



Sulmtaler IM-0010690  
Off White 6 Tile Panel

All individual tiles are 127 x 127 x 10mm / 5" x 5" x 3/8"  
(not shown to scale with other tiles in this brochure)

# Hand Crafted Panels

Use with plain Off White tiles – see page 110

All designs on Off White  

## Family of Hares



Family of Hares 40 Tile Panel IM-0020409



Boxing Hares IM-0022046  
6 Tile Panel



Wise Hare IM-0000450  
6 Tile Panel



Hare in Hiding IM-0020314  
2 Tile Panel

## Flock of Geese



Flock of Geese 40 Tile Panel IM-0016975



Elders  
IM-0009824  
6 Tile Panel



Cuthbert & Gertrude  
IM-0008552  
6 Tile Panel



Goslings IM-0013159  
2 Tile Panel

## Hedgerow



Hedgerow 16 Tile Frieze IM-0021978



Hedgerow 22 Tile Panel IM-0002427

All individual tiles are 127 x 127 x 10mm / 5" x 5" x 3/8"  
(not shown to scale with other tiles in this brochure)

Create your own composition by combining the Hedgerow 22 Tile Panel (IM-0002427) with animal panel sets of your choice shown on this spread. Blank spaces can be filled with plain Off White Field Tiles – see page 110.

 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132



with Delft Field tiles

All tiles 127 x 127 x 10mm / 5" x 5" x 3/8"

All tiles 127 x 127 x 10mm / 5" x 5" x 3/8"

### Corner detail tile



Suitable for use with all English Delft designs or as a drop-in with plain Delft Field tiles

Decorated corner tile  
IM-0007728



with Sky Blue Half tiles (see page 116) and Delft Pencil mouldings (see page 110)

All designs on Delft

### River Scenes



Waterfront IM-0019722  
Fisherman IM-0013821  
Ship and Island IM-0020983



Ship and House IM-0012177  
Pastoral Scene IM-0011373  
Windmill IM-0021907

### Figures in a landscape



Man with Hat IM-0021831  
Couple with Basket IM-0006198  
Lady with Mansion IM-0015428



Man with Stick IM-0008788  
Man with Dog IM-0004206  
Woman with Basket IM-0016755

### Hand painted boats *All designs on Delft*



Trinite of London IM-0004019  
Thomas Basset of Rye IM-0016044  
Jim Howard of Fowey IM-0009074  
Mary & Gail of St Ives IM-0019569  
Grace & Ann of Liverpool IM-0005705  
Black Barks of Bristol IM-0017006


# Into the Garden

Use with plain Off White tiles – see page 110

All designs on Off White  

## Hand painted -Bugs

105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"



Dragonfly IM-0002092	Ladybird & Bee IM-0004554	Napoleon Bee IM-0005657
Two Butterflies IM-0014214	Butterfly IM-0016469	Caterpillar IM-0011848
Stag Beetle IM-0016857	Snail IM-0010793	Copper Butterfly IM-0023059



with Off White Field tiles

## Bugs Borders

214 x 35 x 10mm / 1 1/8" x 8 3/8" x 3/8"




Ladybird & Bee Border IM-0003164	Plain Bug Border IM-0013328
-------------------------------------	--------------------------------



with Off White Field tiles and mouldings

## Flights of fancy

105 x 105 x 10mm / 4 1/8" x 4 1/8" x 3/8"



Swooping IM-0020252	Diving IM-0010000	Soaring IM-0003902
Dandelion IM-0005340	Blown Dandelion IM-0006592	Dandelion Seeds IM-0000576

# Hand painted – Designer Flowers

Use with plain Off White tiles – see page 110

All designs on Off White  



Arctotis IM-0003417 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"	Poppy IM-0019249 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"	Agapanthus IM-0016997 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"	Allium IM-0012343 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"
Jar IM-0020397 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"	Stem Vase IM-0004463 214 x 105 x 10mm 4 1/8" x 8 3/8" x 3/8"	Flower Pot IM-0016737 105 x 105 x 10mm 4 1/8" x 4 1/8" x 3/8"	Greek Vase IM-0006054 105 x 105 x 10mm 4 1/8" x 4 1/8" x 3/8"



with Bugs "Two Butterflies" (see opposite) and Off White Field tiles

 Suitable for use in wet areas with care. See page 132

 Cracked or may crackle/craze. See page 132

# How many tiles will you need?

## Sizes and coverage

Once you have decided on your tiles, calculate how many you will need by measuring the area to be tiled.

Recommended grout gaps vary depending on personal taste and the look you wish to achieve, and also the uneven nature of the tile edge. Generally, the more rustic the base, the wider the grout gap.

### De combien de carreaux aurez-vous besoin?

Une fois que vous avez choisi vos carreaux, calculez la quantité dont vous aurez besoin en mesurant la surface à carreler. Les écarts de joint recommandés varient en fonction des goûts personnels et de l'apparence que vous souhaitez réaliser, mais aussi de l'irrégularité des bords des carreaux. En général, plus les carreaux sont rustiques, plus l'écart de joint sera grand.

### Wie viele Fliesen brauchen Sie?

Wenn Sie sich für eine bestimmte Fliese entschieden haben, können Sie ausrechnen, wie viele Fliesen benötigt werden, indem Sie den zu verarbeitenden Bereich messen. Die empfohlenen Fugenabstände richten sich nach Ihren persönlichen Vorlieben dem gewünschten Erscheinungsbild, werden aber auch durch die ungleichmäßigen Fliesenkanten bestimmt. Generell gilt: umso rustikaler die Fliese, desto größer die Fuge.

### Hoeveel tegels hebt u nodig?

Zondra u uw tegels hebt uitgekozen, kunt u berekenen hoeveel u er nodig hebt door het te betegelen oppervlak op te meten. De aanbevolen voeglijnen zijn afhankelijk van persoonlijke smaak en het eindresultaat waarnaar u op zoek bent. Ook de oneffen aard van de tegeluiteinden spelen een rol. In het algemeen geldt dat hoe rustieker de tegels zijn, hoe breder de voeglijn is.

### Сколько понадобится плиток?

Выбрав требуемую плитку, следует измерить необходимую площадь, чтобы подсчитать, сколько понадобится плиток. Рекомендуемое межплиточное расстояние зависит от личных предпочтений. Кроме того, следует учитывать неровность между краями плитки. В целом, чем более неровная основа плитки, тем шире межплиточное расстояние.

Nominal Tile Size* Taille nominale decarreau* Nennmaße de Fliese* Nominale tegelafmetingen* Номинальный размер плитки*	Tiles per square metre Carreaux par metre carré Fliesen pro Quadratmeter Tegels per vierkante meter на кв. м*	Tiles per Sq. ft	
<b>Panorama / Origin</b>			
240 x 60mm	2 3/8" x 9 7/16"	69	6.25
<b>Cosmopolitan / Arcadian / Metropolitan</b>			
50 x 50mm	2" x 2"	400	36
100 x 100mm	4" x 4"	100	9
130 x 63mm	2 1/2" x 5 1/8"	122	11
130 x 130mm	5 1/8" x 5 1/8"	59	5.5
150 x 150mm	6" x 6"	44	4
200 x 100mm	4" x 8"	50	4.5
200 x 200mm	8" x 8"	25	2.25
300 x 75mm	3" x 12"	44	4
<b>Artisan</b>			
150 x 75mm	3" x 6"	88	8
150 x 150mm	6" x 6"	44	4
225 x 75mm	3" x 9"	59	5.3
<b>Classic</b>			
105 x 105mm	4 1/8" x 4 1/8"	81	8
127 x 63mm	5" x 2 1/2"	109	11.5
127 x 127mm	5" x 5"	56	5.75

Please allow an extra 10% for cutting and wastage. Measurements above and quoted throughout are for the front face of the tile/moulding. Please note that the front face of Artisan Field tiles and Half tiles is marginally smaller than the back face, whereas the moulding and skirting pieces have the same dimension for both front and back facings. Work sizes for products in this brochure are as follows: EN ISO 10545-2, EN14411 Annex K, Length and Width: N > 15 cm. = +/- 0.5% of the work size. 7 cm < N < 15 cm. = +/- 0.75 mm of the work size. This does not apply to Winchester Artisan mouldings and Winchester Classic mouldings as these are slip cast. In these cases every effort is made to target the work size.

Recommended grout gaps are based on the following: Cosmopolitan/Arcadian/Metropolitan: 3-4mm, Classic: 3-6mm, Artisan: 2mm, Elements: 2mm

The front face of the Artisan Field tiles, Half tiles, brick tiles and decorated tiles is marginally smaller than the back face, whereas the moulding and skirting pieces have the same dimension for both front and back facings. To ensure that tiles and mouldings are aligned when they are included in the same installation, we recommend using 1mm spacers when fixing Field tiles, Half tiles, brick tiles and decorated tiles, and 2mm spacers when fixing mouldings, trims and skirting pieces. The 1mm spacers must be pushed in so that they make contact with the back face edges of the tiles.

We always recommend that any tiling is carried out by an experienced professional tiler. For full fixing information, please refer to our Fixing Guide on [www.originalstyle.com](http://www.originalstyle.com).

Veuillez toujours ajouter 10 % pour tenir compte des découpes et déchets éventuels. Les mesures ci-dessous et les autres mesures citées ailleurs concernent la face avant des carreaux/moulures. Notez que la face avant des carreaux unis Artisan est légèrement plus étroite que leur dos, tandis que les dimensions des moulures et des plinthes restent les mêmes sur le devant comme au dos. Les dimensions et marges de tolérance pour les produits de cette brochure sont comme suit: EN ISO 10545-2, EN14411 Annex K, longueur et largeur: N > 15 cm. = +/- 0.5% de la taille réelle. 7 cm < N < 15 cm. = +/- 0.75 mm de la taille réelle. Ceci n'est pas applicable aux moulures de la gamme Winchester Artisan et Winchester Classic étant fabriqués avec un moule. Dans ces cas, tous les efforts sont fait pour respecter la taille réelle. Les écarts de joints recommandés se basent sur les mesures suivantes: Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

Les écarts de joints recommandés se basent sur les mesures suivantes: Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

La face avant des carreaux unis, demi-carreaux, carreaux effet brique et carreaux décorés Artisan est légèrement plus étroite que leur dos, tandis que les dimensions des moulures et des plinthes restent les mêmes sur le devant comme au dos. Pour aligner correctement les carreaux et les moulures dans une même installation, nous vous recommandons d'utiliser des entretoises de 1 mm lorsque vous posez les carreaux unis, demi-carreaux, carreaux effet brique et carreaux décorés, et des entretoises de 2 mm lorsque vous posez les moulures, les listels et les plinthes. Les entretoises de 1 mm doivent être disposées de manière à toucher les bords du dos des carreaux.

Nous vous recommandons de toujours faire installer vos carreaux par un carreleur professionnel et expérimenté. Pour des informations complètes sur l'installation, reportez-vous à notre Guide d'installation sur [www.originalstyle.com](http://www.originalstyle.com).

Bitte planen Sie zusätzliche 10 % für Verschnitt und Reststücke ein. Die obigen und andere in der Broschüre angegebenen Maße gelten für die Vorderseite von Fliese / Formstück. Bitte beachten Sie, dass die Vorderseite der Artisan Grund- und Halbfliessen geringfügig kleiner als die Rückseite ist, während Formstücke und Sockelleisten die gleichen Dimensionen sowohl für Vorder- und Rückseite aufweisen. Werkmaße für Produkte in dieser Broschüre sind wie folgt: EN ISO 10545-2, EN14411: Anhang K, Länge und Breite: N > 15 cm. = +/- 0.5% des Werkmaßes. 7 cm < N < 15 cm. = +/- 0.75 mm des Werkmaßes. Dies gilt nicht für Winchester Artisan Formstücken und Winchester Classic Formstücken, da sie geschichtete Produkte sind. Wir versuchen jedoch auch hier das Werkmaß zu erzielen. Empfohlene Fugenabstände beruhen auf: Cosmopolitan/Arcadian/Metropolitan: 3-4 mm, Classic: 3-6 mm, Artisan: 2 mm, Elements: 2mm

Die Vorderseite der Artisan Grund-, Halb-, Ziegel- und Dekorfliesen ist geringfügig kleiner als die Rückseite, während Formstücke und Sockelleisten die gleichen Dimensionen sowohl für Vorder- und Rückseite aufweisen. Um sicherzustellen, dass Fliesen und Formteile korrekt ausgerichtet sind, empfehlen wir die Verwendung von 1 mm Fugenkreuzen bei Verlegen von Grund-, Halb-, Ziegel- und Dekorfliesen. Für Formstücke, Profile und Sockelleisten verwenden Sie bitte 2 mm Fugenkreuze. Die 1 mm Fugenkreuze müssen so eingesetzt werden, dass sie Kontakt mit den rückseitigen Kanten der Fliesen haben.

Wir empfehlen stets, dass unsere Fliesen von einem erfahrenen und professionellen Fliesenleger verlegt werden. Für vollständige Informationen zur Verlegung beachten Sie bitte unsere Verleganleitung unter [www.winchestertiles.com](http://www.winchestertiles.com).

Bestel 10% extra voor snijresten en afval. Bovenstaande en opgegeven maten zijn altijd van de voorkant van de tegel/het profiel. De voorkant van de vierkante tegel en de halve tegel van Artisan is enigszins kleiner dan de achterkant. De profiel- en randtegels hebben wel dezelfde afmetingen aan de voor- en achterzijde. De maattolerantie voor de producten in deze brochure zijn als volgt: EN ISO 10545-2, EN14411 Annex K, lengte en breedte: N > 15 cm. = +/- 0.5% van de nominale maat. 7 cm < N < 15 cm. = +/- 0.75 mm van de nominale maat. Deze maattolerantie geldt niet voor de Winchester Artisan streppen en Winchester Classic streppen, aangezien deze vormen gegoten zijn. In deze gevallen doen wij ons uiterste best om de nominale maat aan te houden. De aanbevolen voeglijnen zijn gebaseerd op het volgende: Cosmopolitan/Arcadian/Metropolitan: 3 - 4mm, Classic: 3 - 6 mm, Artisan: 2 mm, Elements: 2mm

De voorkant van de vierkante tegel, de halve tegel, de bakstenen tegel en de siertegel van Artisan is enigszins kleiner dan de achterkant. De profiel- en randtegels hebben wel dezelfde afmetingen aan de voor- en achterzijde. Om ervoor te zorgen dat de tegels en de profieltegels op elkaar aansluiten als ze deel uitmaken van dezelfde installatie, raden we aan dat u tegelkruisjes gebruikt van 1 mm bij het zetten van veldtegels, halve tegels, bakstenen tegels en siertegels, en afstandstukken van 2 mm bij het zetten van profieltegels, lijsttegels en randtegels. De tegelkruisjes van 1 mm moeten zodanig worden aangebracht dat ze in contact zijn met de uitendend van de achterkant van de tegels.

We raden altijd aan dat tegels worden gelegd door een ervaren, professionele tegelzetter. Raadpleeg onze installatiegids op [www.originalstyle.com](http://www.originalstyle.com) voor alle informatie.

Допуск на отходы должен составлять 10%. Размеры, указанные выше и приведенные в данной брошюре, предназначены только для передней поверхности плитки/лепнины. Просьба обратить внимание, что передняя поверхность облицовочной плитки и полилитки компании Artisan незначительно меньше, чем задняя поверхность, при этом передняя и задняя поверхность лепнины и бордюров одинакова. Рабочие размеры продукции в этой брошюре следующие: EN ISO 10545-2, EN14411 Приложение К, Длина и Ширина: N > 15 см. = +/- 0.5% от рабочего размера. 7 см < N < 15 см. = +/- 0.75 мм от рабочего размера. Это не относится к Winchester Artisan и Винчестер Classic моделям так как эти модели отлитые. В этих случаях делается все возможное, чтобы достичь рабочий размер. Рекомендуемое межплиточное расстояние: Cosmopolitan/Arcadian/Metropolitan: 3-4 мм, Classic: 3-6 мм, Artisan: 2 мм, Elements: 2мм.

Передняя поверхность облицовочной плитки, полилитки, черепицы и декоративной плитки незначительно меньше, чем задняя поверхность, при этом передняя и задняя поверхность лепнины и бордюров одинакова. Чтобы выровнять плитку и бордюры, рекомендуем использовать 1-миллиметровые разделители при укладке облицовочной плитки, полилитки, черепицы и декоративной плитки, и 2-миллиметровые разделители при укладке бордюров, каймы и краев. 1-миллиметровые разделители следует вдавить таким образом, чтобы они соприкасались с задней гранью плитки.

Настоятельно рекомендуем, чтобы укладка плитки проводилась профессиональным плиточником. См. наше Руководство по укладке на сайте [www.originalstyle.com](http://www.originalstyle.com) для получения полной информации.

# Important Information

## Pattern repeats

Repeating Patterns - Artisan decorated tiles. Please note that decorative tiles are made individually and may have slight differences between them. They may not line up with each other exactly if placed together, but the overall effect will be stunning. The designs on these decorative tiles are subtly asymmetrical. To ensure a pleasing repeating pattern, carefully lay the tiles out before fixing them to the wall, to make sure that the patterns on the four edges match each other.

Motifs Répétitifs - Carreaux décorés Artisan. Notez que les carreaux décoratifs sont fabriqués individuellement et pourront présenter de légères différences d'un carreau à l'autre. Ils ne s'aligneront pas toujours parfaitement lorsque vous les poserez ensemble mais l'effet général n'en sera pas moins saisissant. Les motifs de ces carreaux décoratifs sont subtilement asymétriques. Pour que votre motif répétitif soit harmonieux, disposez vos carreaux soigneusement sur le sol avant de les installer au mur pour vérifier que les motifs en bordure de chaque carreau soient assortis aux carreaux adjacents.

### Rapport-Designs - Artisan Dekorfliesen

Bitte beachten Sie, dass Dekorfliesen einzeln gefertigt werden und leichte Unterschiede aufweisen können. Unter Umständen kommt es vor, dass sie nicht exakt in einer Linie liegen. Dennoch ist die Gesamtwirkung beeindruckend. Die Designs dieser Dekorfliesen sind leicht asymmetrisch. Um ein attraktives wiederholendes Muster zu gewährleisten, legen Sie die Fliesen vor der Befestigung an der Wand sorgsam aus, um sicherzustellen, dass die Muster auf den vier Kanten zueinander passen.



### Patronen Herhalen - Artisan decoratieve tegels

De decoratieve tegels worden per stuk gemaakt. Er kan dus sprake zijn van kleine verschillen tussen de tegels. Als ze samen worden gelegd, dan sluiten ze wellicht niet precies op elkaar aan. Het overkoepelende effect is daarentegen prachtig. De ontwerpen op deze siertegels worden gekenmerkt door een subtiel asymmetrie. Om een patroon met mooie herhalingen te maken, legt u de tegels neer voordat u ze bevestigt tegen de muur. Zorg ervoor dat de patronen van de vier hoeken op elkaar aansluiten.



### Повторяющиеся узоры - Декоративная плитка Artisan

Просьба обратить внимание, что декоративная плитка изготавливается индивидуально, поэтому между плитками могут быть незначительные различия. Такие плитки могут не сходиться в точности, но общее впечатление будет потрясающим. Конструкция декоративной плитки немного ассиметрична. Чтобы получился красивый узор, следует разложить плитку на отдельной поверхности до ее укладки, чтобы узоры на всех четырех углах плитки соответствовали друг другу.

## Kutahya / Topkapı





- This is correct as all 4 tiles are the right way up
- Cette disposition est correcte car les 4 carreaux sont dans le bon sens
- Richtig, da alle 4 Fliesen korrekt ausgerichtet sind
- Dit is juist, want alle vier de tegels zijn naar boven gericht
- Верно – все 4 плитки расположены правильно





- This is incorrect as the patterns on the sides do not line up
- Cette disposition est incorrecte : les motifs sur les côtés ne sont pas alignés
- Falsch. Die Muster verlaufen an den Seiten nicht in einer Linie
- Dit is onjuist, want de patronen aan de zijkanten sluiten niet op elkaar aan
- Неверно – узоры по бокам не сходятся

## Pasha



- This is correct as all 4 tiles are the right way up
- Cette disposition est correcte car les 4 carreaux sont dans le bon sens
- Richtig, da alle 4 Fliesen korrekt ausgerichtet sind
- Dit is juist, want alle vier de tegels zijn naar boven gericht
- Верно – все 4 плитки расположены правильно



- This is incorrect as the patterns top and bottom do not line up
- Cette disposition est incorrecte : les motifs ne sont pas alignés
- Falsch. Die Muster verlaufen an den Seiten nicht in einer Linie
- Dit is onjuist, want de patronen aan de boven- en onderkant sluiten niet op elkaar aan
- Неверно – узоры сверху и снизу не сходятся

Symbol <div> <div>Symbol</div> <div>Symbol</div> <div>Symbol</div> <div>Symbol</div> <div>Символ</div> </div>	Key <div> <div>Signification</div> <div>Bedeutung</div> <div>Betekenis</div> <div>Смысла</div> </div>	Special Notes <div> <div>Notes Spéciales</div> <div>Besondere Hinweise</div> <div>Speciale Aantekeningen</div> <div>Особые примечания</div> </div>
<span></span>	<b>Dry areas only</b> <p><b>Convient aux endroits secs uniquement</b></p> <p><b>Nur für trockene bereiche</b></p> <p><b>Alleen droge muren</b></p> <p><b>Только сухое помещение</b></p>	<p>These tile colours are made from copper-based glazes and are all prone to discolouration by the very mild acids often found in the home, for example lemon scented soaps, wine, orange juice and fruit. To avoid discolouration, wash these tiles with clean water only and wipe them dry. <b>Tiles and mouldings in these colours are recommended for dry areas only and should not be installed near kitchen or bathroom sinks or in shower cubicles.</b> If they do get wet for any reason, always wipe any excess residue from the tile surface immediately with warm water and then dry off.</p> <p>Ces couleurs sont des émaux à base de cuivre qui risquent tous de se décolorer au contact des acides même les plus doux que l'on retrouve couramment dans les intérieurs, par exemple les savons parfumés au citron, le vin, le jus d'orange et de fruits, vinaigre blanc. Pour éviter toute décoloration, lavez-les à l'eau uniquement et séchez-les avec un torchon. <b>Il est conseillé d'installer les carreaux et moulures de ces couleurs uniquement dans les zones sèches, et d'éviter de les poser à proximité des évièrs ou dans les cabines de douche.</b> S'ils deviennent humides ou mouillés pour quelque raison que ce soit, rincez immédiatement leur surface à l'eau tiède puis séchez-les.</p> <p>diese Fliesen haben kupferhaltigen Glasuren und neigen bei Kontakt zu haushaltüblichen Säuren, wie z. B. bestimmten Reinigungsmitteln (z.B. Seifen mit Zitrusduft), Wein, Orangensaft und Früchten, zu Verfärbungen. Um Verfärbungen zu vermeiden, reinigen Sie diese Fliesen nur mit klarem Wasser und reiben Sie diese nach der Reinigung sofort trocken. <b>Fliesen und Formstücke in diesen Farben dürfen nur in trockenen Bereichen eingesetzt werden und eignen sich nicht für die Installation in der Nähe von Küchenspülen oder in Duschkabinen.</b> Sollten diese Produkte nass werden, waschen Sie Rückstände immer sofort mit warmem, klarem Wasser ab und reiben Sie die Oberfläche trocken.</p> <p>Deze kleuren zijn geproduceerd met glazuren op koperbasis en kunnen verkleuren als gevolg van de zeer milde zuren die vaak worden aangetroffen bij mensen thuis, bijvoorbeeld in schoonmaakmiddel met citroengeur, wijn, sinaasappelsap en fruit. Om deze verkleuring te vermijden, wast u deze tegels alleen met schoon water en droogt u ze af. <b>Tegels en profielen in deze kleuren worden alleen aanbevolen voor droge plekken en dienen niet in de buurt van de keukengooisteen of in de douchecabine te worden gezet.</b> Als ze toch nat worden, dan veegt u het eventuele vuil onmiddellijk van de tegels af met warm water en droogt u ze af.</p> <p>Плитка этих оттенков покрыта глазурю на медной основе, поэтому возможно изменение цвета при контакте со слабыми кислотами, которые часто используются в быту, например, мыло с лимонным запахом, вино, апельсиновый сок и фрукты. Чтобы избежать изменения цвета, плитку следует мыть только чистой водой, а затем вытирать насухо. <b>Плитку и лепнину этих оттенков рекомендуется использовать только в сухих помещениях, вдали от кухонных умывальных раковин и душевых.</b> Если плитка по какой-либо причине намокла, следует незамедлительно промыть теплой водой, а затем вытереть насухо.</p>
<span></span>	<b>Wet and dry walls</b> <p><b>Murs zones humides</b></p> <p><b>Trocken- und Nassbereiche</b></p> <p><b>Natte en droge muren</b></p> <p><b>влажные и сухие стены</b></p>	<p>Suitable for kitchens, bathrooms and showers</p> <p>Convient aux zones humides, telles que les douches, salles de bain, crédence de cuisine</p> <p>geeignet für Küchen, Badezimmer, Duschen und Dampfbäder</p> <p>Geschikt voor muren in keukens, badkamers en douches.</p> <p>Мы не рекомендуем использовать плитку с трещинами и кракелюрами для установки вблизи душевых систем с повышенным давлением.</p>
<span></span>	<b>Wet and dry walls, but not power showers</b> <p><b>Murs zones humides mais pas dans une douche à haute pression</b></p> <p><b>Für Nassbereiche aber Nicht für power-duschen geeignet</b></p> <p><b>Natte en droge muren maar niet geschikt in de buurt van 'power showers'</b></p>	<p>We do not recommend that crazed and crackle tiles are used for power showers, i.e. showers with a very high pressure generated by a forceful pump. Couleurs susceptibles au faiçençage Ne pas installer dans une douche à haute pression (type spa)</p> <p>Wir empfehlen nicht, Fliesen mit Haarrissen oder Craquelé in Power-Duschen bzw. Duschen mit sehr hohem Wasserdruck zu installieren.</p> <p>Geschikt voor muren in keukens, badkamers en douches maar niet geschikt voor douches met een 'power shower' (douche kraan met hoge druk doormiddel van een krachtige pomp).</p>
<span></span>	<b>Crazing / Crackle glazes</b> <p><b>Couleurs susceptibles au faiçençage</b></p> <p><b>Neigung zu haarrissbildung / craquelé</b></p> <p><b>Craquelé en haarscheurtjes</b></p>	<ul style="list-style-type: none"><li>Highly glazed ceramic tiles may craze with time and no guarantee can be given against this occurrence across all Winchester Tile Company tiles and mouldings. This is an inherent part of our hand finished tiles and adds to their rustic nature.</li> <li>Arcadian and Artisan Crackle tiles and mouldings are deliberately crackled (as a result of a specific glazing process) to give an aged appearance.</li> <li>You may notice these tiles may make a 'crackling' noise as they acclimatise to the temperature of your home and may continue to do so for a short while after installation. This is perfectly normal and is part of the charm of these tiles.</li></ul> <p><b>ALL CRAZED AND CRACKLE TILES MUST BE SEALED BEFORE CUTTING OR FIXING</b></p> <p><b>For use in both dry and wet areas, all crazed/crackle tiles should be sealed with an impregnator before cutting and fixing. This will help prevent dust from the red tile body staining the crazing/crackles during cutting and prevent grout stains (or other pollutant stains) during installation. Impregnating also allows for the easy cleaning of grout from the crazing/crackles after installation. Tiles should then be re-impregnated after the grout residue has been removed, then again after 90 days from installation, with a further treatment after one year. This is because glazes may continue to crackle/craze for several months, and so each new crackle/craze line becomes unsealed. Suitable impregnators are LTP Crackle Glaze Protector and Fila MP90.</b></p> <ul style="list-style-type: none"><li>Les carreaux en céramique fortement vitrifiés peuvent se craqueler au fil du temps. Nous ne pouvons offrir aucune garantie contre cette éventualité. Il s'agit d'une caractéristique essentielle de nos carreaux finis à la main, qui renforce en outre leur aspect rustique.</li> <li>Veillez toujours à bien sceller les carreaux craquelés avant de passer à l'étape des joints, ce afin de faciliter le nettoyage des craquelures après avoir terminé le jointolement. Vous risqueriez sinon d'avoir une coloration dans les craquelures dûe aux pigments du joint. Veuillez voir ci-dessous.</li> <li>Vous remarquerez peut-être que les carreaux Arcadian et Artisan Crackle émettent un son de «<span> </span>craquelure<span> </span>» alors qu'ils s'accliment à la température ambiante de votre intérieur, un phénomène qui pourra se poursuivre pendant quelques temps après leur installation. Cela est tout à fait normal et fait partie du charme de ces carreaux.</li></ul> <p><b>TOUTES LES CARREAUX CRAQUELÉS DOIVENT ÊTRE SCELLÉS AVANT LA COUPE OU LA POSE</b></p> <p><b>Pour une utilisation dans les zones sèches et humides, tous les carreaux craquelés ou craqués doivent être scellés avec un imperméabilisant avant la coupe et la fixation. Cela aidera à empêcher la poussière rouge du carreau de tacher les craquelures pendant la coupe et à prévenir les taches de colis de jointolement (ou d'autres taches polluantes) pendant l'installation. L'imperméabilisation permet également de nettoyer facilement le coulis des craquelures après l'installation. Les carreaux doivent ensuite être réimprégnés après l'élimination des résidus de coulis, puis à nouveau après 90 jours à compter de l'installation, avec un traitement supplémentaire un an après. En effet, les émaux peuvent continuer à craqueler pendant plusieurs mois, et ainsi chaque nouvelle craquelure devient descellée. Nous vous conseillons d'utiliser les produits imperméabilisants LTP Crackle Glaze Protector ou Fila MP90.</b></p> <ul style="list-style-type: none"><li>Hochglasierte Fliesen können mit der Zeit Haarrisse bilden. Dies liegt in der Natur unserer handgefertigten Keramik und unterstreicht den rustikalen Charme der Fliesen Haarrisse können bei allen Fliesen und Formteilen der Winchester Tile Company auftreten und sind kein Reklamationsgrund.</li> <li>Bei den Arcadian Fliesen und Formstücke sowie Artisan Crackle Fliesen und Formstücken werden in einem speziellen Glasurverfahren diese Risse bewusst erzeugt. Dieser sog. Craquelé-Effekt gibt den Fliesen ein gewollt „gealtertes“ Aussehen.</li> <li>Sie werden nach der Installation von Arcadian und Artisan Crackle eventuell ein „Knistern“ wahrnehmen, welches durch die Anpassung der Fliesen an die Temperatur Ihres Hauses erzeugt wird. Dieses Phänomen kann auch noch für bestimmte Zeit nach der Installation anhalten. Dies ist völlig normal und Teil des Charms dieser Fliesen.</li></ul> <p><b>ALLE FLIESEN MIT HAARRISSEN ODER CRAQUELÉ MÜSSEN VOR DEM SCHNEIDEN ODER VERLEGEN IMPRÄGNIERT WERDEN</b></p> <p><b>Für die Verwendung in Trocken- und Nassbereichen sollten alle Fliesen mit Haarrissen oder Craquelé vor dem Schneiden und Verlegen mit einem Imprägniermittel versiegelt werden. Dadurch wird verhindert, dass der Staub des roten Fliesenkörpers beim Schneiden auf die Haarrisse oder Craquelé der Fliesen abfärbt, und es werden Flecken durch das Verfugen (oder Flecken durch andere Schadstoffe) beim Verlegen vermieden. Die Imprägnierung ermöglicht auch eine einfache Reinigung der Haarrisse oder Craquelé von dem Fugenmörtel nach der Verlegung. 90 Tage nach der Verlegung sollten die Fliesen erneut imprägniert werden, und nach einem Jahr ist eine weitere Behandlung notwendig. Der Grund dafür ist, dass sich Risse in Glasuren ueber mehrere Monate lang bilden können und jeder neue Riss ist somit unversiegelt. Geeignete Imprägniermittel sind LTP Crackle Glaze Protector und Fila MP90.</b></p> <ul style="list-style-type: none"><li>Sterk geglazuurde keramische tegels kunnen na verloop van tijd haarscheurtjes gaan vertonen. We kunnen dienaangaande geen enkele garantie bieden. Dit is een eigenschap van onze handgemaakte tegels en draagt bij aan hun rustieke aard.</li> <li>Arcadian tegels en profielen en de Artisan Crackle tegels en profielen bevatten opzettelijk craquelé (dit is het gevolg van een specifiek glazuurproces), zodat ze er antiek utzien.</li> <li>U merkt wellicht dat de tegels van Arcadian en Artisan Crackle een craquelégeluid maken als ze zich aanpassen aan de temperatuur van uw huis. Hiervan kan enige tijd na het zetten sprake zijn. Dit is absoluut normaal en maakt deel uit van de charme van deze tegels.</li></ul> <p><b>ALLE GECRAQUELEERDE TEGELS EN TEGELS MET HAARSCHOURTJES MOETEN GEÏMPREGNEERD WORDEN ALVORENS TE SNIJDEN EN ZETTEN</b></p> <p><b>Alle gecraqueleerde tegels en tegels met haarscheurtjes dienen voor het snijden en zetten te worden geïmpregneerd. Dit zal helpen voorkomen dat het stof van het rode biscuit, de haarscheurtjes tijdens het snijden verkleurt. Ook zal het de tegels tijdens de installatie beschermen tegen voegmiddel- en andere vlekken. Impregneren zorgt er ook voor dat voegmiddel makkelijker van de haarscheurtjes verwijderd kan worden na de installatie. Nadat voegresten zijn verwijderd, moeten gecraqueleerde tegels en tegels met haarscheurtjes opnieuw geïmpregneerd worden en dan wederom na 90 dagen en vervolgens opnieuw na een jaar. De reden hiervoor is dat het craqueléproces van de tegels enkele maanden duurt waardoor de tijdens dit proces ontstane scheurtjes ook geïmpregneerd moeten worden. Geschikte impregneermiddelen zijn Lihofin KF Impregneermiddel of Fila MP90.</b></p> <ul style="list-style-type: none"><li>На глянцевої поверхності керамічної плитки со временем можуть образовуватись трещини. Гарантії на такіє случаи не предоставляються. Это особенность обработанной вручную плитки, что придает ей уникальный внешний вид.</li> <li>Arcadian плитка и молдинг и Artisan Crackle плитка и молдинг намеренно производят с кракелюрами (результат специфического процесса глазуирования), чтобы предать старинный вид.</li> <li>Вы можете обратить внимание на то что, непродолжительный период времени после укладки, плитка коллекции Arcadian и Artisan Crackle издает ' треск' по мере акклиматизации к температуре помещения. Это является естественной реакцией и именно такая особенность придает нашей продукции своеобразное очарование.</li></ul> <p><b>ВСЕ ПЛИТКИ С ТРЕЩИНАМИ И КРАКЕЛЮРАМИ ДОЛЖНЫ БЫТЬ ГЕРМЕТИЗИРОВАНЫ ПЕРЕД РЕЗКОЙ ИЛИ УСТАНОВКОЙ</b></p> <p><b>Для использования как в сухих, так и во влажных помещениях, все плитки с трещинами и кракелюрами должны быть обработаны пропиткой перед резкой и установкой . Это поможет предотвратить попадание пыли с красного корпуса плитки на кракелюр во время резки и предотвратит появление пятен от затирки (или других загрязняющих веществ) во время укладки. Пропитка также позволяет легко очистить затирку с кракелюра после укладки. Плитку следует повторно пропитать после удаления остатков затирки, затем еще раз через 90 дней после укладки и еще раз через год. Это связано с тем, что глазурь может продолжать трескаться/растрескиваться в течение нескольких месяцев, поэтому каждая новая линия трещин/растрескивания становится негерметичной. Подходящими пропитками являются LTP Crackle Glaze Protector и Fila MP90.</b></p>
	Please refer to the Fixing Guide at <a href="http://www.originalstyle.com">www.originalstyle.com</a> for more information. <p>Pour obtenir des instructions complètes l'installation, veuillez vous reporter au Guide de fixation Winchester sur <a href="http://www.originalstyle.com">www.originalstyle.com</a> avant de procéder à l'installation.</p> <p>Vollständige Installationshinweise, einschli. Empfehlungen zu Kleber und Fugenmasse finden Sie in der Anleitung zur Verlegung von Winchester Fliesen unter <a href="http://www.originalstyle.com">www.originalstyle.com</a></p> <p>Voor alle installatieaanwijzingen, waaronder tips voor het voegen en voor de lijm, raadpleegt u voor het zetten de Winchester installatiegids, die te vinden is op <a href="http://www.originalstyle.com">www.originalstyle.com</a>.</p> <p>Перед тем, как укладывать плитку, следует ознакомиться с полными инструкциями по укладке, которые приведены в Руководстве по укладке Winchester на сайте <a href="http://www.originalstyle.com">www.originalstyle.com</a></p>	

# Important Information

**Suitability.** NB Winchester wall tiles are not suitable for floors or external use. They are not suitable work surfaces. If they are installed as such, they will show signs of wear and surface scratching.

**Manufacturing Standards.** Where applicable, all Winchester tiles are manufactured and tested to European Standard EN14411.

**Dimensions.** All dimensions shown throughout the brochure are nominal; actual dimensions for individual tiles may vary from these figures. Please note, some reference images of tiles are not in proportion to reference images in other sections.

**Colour Variation and Shading.** The surfaces of Winchester tiles undulate gently, allowing natural shading to occur. These distinctive yet subtle variations in shade within each tile, moulding and border mean no two pieces are ever identical which gives a wonderful impression of depth to tiled areas, adding to their beauty and charm. There may also be subtle shade variations between the background colour on decorative tiles and any co-ordinating/matching field tile.

Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

Before fixing, it is very important to lay the tiles out in good light to ensure that any shade difference is evenly distributed. No liability for shading issues can be accepted after installation.

**Artisan Crackle Colour Variation.** The hue of crackle glazed Artisan tiles may differ from gloss versions of the same colour.

**Glazing.** Glaze may not completely reach the top edges of Torus and Ogee mouldings, leaving areas of the base exposed. This is completely normal and we cannot be guaranteed against this occurring.

**Cleaning.** Wash down tiled surfaces with either clean water or a neutral i.e. not acidic or alkaline detergent. Dry off and polish with a dry duster. We do not recommend steam cleaners or steam mops to clean our tiles. Steam cleaning may remove or render ineffective any sealer that has been applied, leaving the tiles unprotected.

**Installation.** For full installation instructions, including grouting and adhesive recommendations, please refer to the Winchester Fixing Guide available at [www.originalstyle.com](http://www.originalstyle.com) before commencing your installation. In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with the American National Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of North America.

**Photography.** Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

**Limits of Liability.**

Original Style Limited accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, colour, texture, shade and size of tiles.

Original Style Limited warrants that its tiles conform to their description and are fit for their purpose. Original Style Limited makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures. Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

# Informations Essentielles

**Usages.** Les faïences Winchester ne conviennent pas pour une pose au sol ou en extérieur. Ils sont uniquement destinés à une pose murale, en intérieur. Nous vous déconseillons de poser les carreaux Winchester sur les surfaces de travail car ils seront sensibles à l'usure et aux rayures. Certains carreaux ne conviennent pas aux zones humides, comme indiqué ci-dessous.

**Fabrication.** Lorsque cela est possible, les carreaux Winchester sont fabriqués et testés selon la norme européenne EN14411.

**Dimensions.** Toutes les dimensions indiquées dans cette brochure sont nominales ; les dimensions réelles des carreaux individuels peuvent être différentes de celles indiquées. Notez également que certaines images de référence ne sont pas aux mêmes proportions que les images de référence des autres sections.

**Variations de couleur et teinte.** La surface des carreaux Winchester ondule délicatement, créant ainsi naturellement des nuances de couleur. Ces variations de teinte, à la fois distinctives et subtiles, sur chaque carreau, moulure et bordure, confèrent à chacun de ces éléments une apparence unique. Elles donnent ainsi une merveilleuse impression de profondeur aux surfaces carrelées et accentuent encore leur charme et leur beauté. De subtiles variations peuvent aussi apparaître entre la couleur de fond des carreaux décoratifs et tout carreau uni correspondant.

Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Winchester de vous montrer des échantillons.

Avant de poser vos carreaux, il est important de les étaler sous une lumière. Nous n'accepterons aucune responsabilité pour les problèmes liés à la teinte une fois les carreaux installés.

**Émaillage.** Il est peu probable que les moulures Tore/ Ogee soient émaillées sur tout le long du bord supérieur. Cela signifie que la base du carreau peut apparaitre le long du bord supérieur et nous ne pouvons pas garantir que cela ne soit le cas.

**Couleurs brillantes ou craquelées Artisan.** Veuillez noter qu'une couleur de même nom pourra présenter une légère variation de teinte selon si elle est brillante (Gloss) ou craquelée (Crackle).

**Nettoyage.** Nettoyez les surfaces carrelées à l'eau propre ou bien avec un détergent neutre (ni acide, ni alcalin). Séchez et frottez avec un chiffon non pelucheux.

Nous ne recommandons pas les nettoyeurs à vapeur ou les vadrouilles à vapeur pour nettoyer nos carreaux. Le nettoyage à la vapeur peut éliminer/rendre inefficace tout scellant qui a été appliqué, laissant les carreaux sans protection.

**Photographie.** L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les couleurs des carreaux présentés dans ce catalogue. Avant de faire votre choix, il est toujours préférable de demander à votre revendeur Winchester de vous montrer des échantillons.

**Responsabilité.**

Original Style Limited n'accepte aucune responsabilité si ses carreaux ne sont pas installés correctement. En cas de plainte concernant les carreaux mêmes, la responsabilité d'Original Style, en conformité avec la loi, se limite au remplacement ou au remboursement complet du produit et ne couvre aucune perte indirecte. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Veuillez noter que l'installation des carreaux représente l'acceptation de leur qualité, couleur, texture, teinte et taille.

Original Style Limited garantit que ses carreaux sont conformes à leur description et conviennent à l'usage indiqué. Original Style Limited ne garantit en aucun cas, expressément ou implicitement, la conformité des produits à des installations particulières. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Veuillez noter que l'utilisation de certains produits nettoyyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.





**Living**  
Stunning patterned wall tiles and decorative tile panel sets



**Odyssey**  
Floor and wall tiles inspired by journeys of discovery



**Victorian Floor Tiles**  
Geometric tiles for classic or contemporary floors



**Artworks**  
Timeless wall tiles and mouldings in heritage colours

**General Enquiries**

Tel: +44 (0)1392 473004

**UK Sales**

Tel: +44 (0)1392 473005

**USA Sales**

Tel: 508 507 6228

Email: [usasales@originalstyle.com](mailto:usasales@originalstyle.com)

**Export Sales**

Tel: +44 (0)1392 473001

Email: [info@originalstyle.com](mailto:info@originalstyle.com)

Website: [www.originalstyle.com](http://www.originalstyle.com)



**ORIGINALSTYLE**

Tiles to Inspire

The 'Winchester Tile' and 'Original Style' logos are registered trade marks of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England