

lungarno  
CERAMICS



# ZELLIGE CLASSIQUE

**ZELLIGE CLASSIQUE** Originating in Morocco, these unique, handmade tiles are known for their organic beauty, vibrant colors and rich history dating back centuries. Authentic Zellige tiles are made from high-quality clay, then hand shaped, cut, glazed and fired at extremely high temperatures resulting in this incredibly durable and aesthetically pleasing tile.

**THE DETAILS:**

- 4" x 4" and 2" x 6" natural clay wall tiles in six earth inspired tones
- Colorful mosaic assortment in a variety of classic and modern shapes

**STYLE IT:**

- Pair 4x4 and 2x6 together for a custom look
- Kitchen backsplashes
- Shower walls and bathroom vanities
- Accent walls for a stunning and unique look
- Fireplace surrounds for a beautiful and eye-catching touch
- Stair risers to add color or texture




Photo features Atlas White Starburst

# ZELLIGE CLASSIQUE

Authentic Zellige Tile

*lungarno*  
CERAMICS


## COLOR AVAILABILITY - FIELD TILE



Al Hamra 4x4  
ZELALHAM44L  
Al Hamra 2x6  
ZELALHAM26L



Sahara Rose 4x4  
ZELSAHROS44L  
Sahara Rose 2x6  
ZELSAHROS26L




Mint Tea 4x4  
ZELMINTEA44L  
Mint Tea 2x6  
ZELMINTEA26L



Atlas White 4x4  
ZELATLWHI44L  
Atlas White 2x6  
ZELATLWHI26L



Gris Perle 4x4  
ZELGRIPER44L  
Gris Perle 2x6  
ZELGRIPER26L



Blue City 4x4  
ZELBLUCIT44L  
Blue City 2x6  
ZELBLUCIT26L



Lambswool 4x4  
ZELWOOL44L  
Lambswool 2x6  
ZELWOOL26L

## COLOR AVAILABILITY - MOSAICS



Al Hamra  
Papillon  
ZELPAP01MOSM



Atlas White/Sahara Rose  
Tapis  
ZELTAP01MOS



Atlas White/Blanc/Gris  
Perle Chouari  
ZELCHO01MOS



Atlas White  
Starburst  
ZELSTA01MOS



Atlas White  
Art  
ZELART01MOS












Atlas White  
Triangle  
ZELTRI01MOSM



Atlas White/Lambswool  
Star/Cross  
ZELSTCR01MOS
















## SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"	N/A	3/8"	100	8.07
	4" x 4"	N/A	3/8"	100	10.76
	11.63" x 12.13"	N/A	3/8"	11	10.76
	12.00" x 12.00"	N/A	3/8"	11	11.00
	13.25" x 14.25"	N/A	3/8"	10	13.11
	10.00" x 10.00"	N/A	3/8"	18	12.50
	11.25" x 11.25"	N/A	3/8"	11	9.67
	11.33" x 11.75"	N/A	3/8"	11	10.42
	11.80" x 11.80"	N/A	3/8"	11	10.65







# ZELLIGE CLASSIQUE

Authentic Zellige Tile

**lungarno**  
CERAMICS

TECHNICAL SPECIFICATIONS	4" x 4"	2" x 6"	MOSAICS
 <b>Material Type</b>	Zellige Terracotta	Zellige Terracotta	Zellige Terracotta
 <b>Finish</b>	Glossy	Glossy	Glossy
 <b>Edge</b>	Hand Cut	Hand Cut	Hand Cut
 <b>Color Variation</b>	V3	V3	V3
 <b>Printing</b>	N/A	N/A	N/A
 <b>Installation</b>	Wall	Wall	Wall
 <b>Usage</b>	Residential / Commercial	Residential / Commercial	Residential / Commercial
 <b>Grout Joint Recomm.</b>	N/A	N/A	N/A
 <b>Thickness</b>	3/8"	1.5 CM (15mm)	3/8"
 <b>Shower Pan</b>	No	No	No
 <b>Pool Lining*</b>	No	No	No
 <b>Fireplace Surround*</b>	Yes	Yes	Yes
 <b>Frost Resistant</b>	No	No	No

\*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	4" x 4"	2" x 6"	MOSAICS
 <b>Water Absorption (C373)</b>	N/A	N/A	N/A
 <b>Breaking Strength (C648)</b>	N/A	N/A	N/A
 <b>Surface Abrasion (MOHS)</b>	N/A	N/A	N/A
 <b>Chem. Resistance (C650)</b>	Resistant	Resistant	Resistant
 <b>D.C.O.F. (A137.1)</b>	N/A	N/A	N/A
 <b>Scratch Hardness (P.E.I)</b>	N/A	N/A	N/A

Special Considerations for Zellige Tile:

- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
- Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
- It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
- Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting and sealing will be necessary.
- Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.